




AIR-COOLED MODULAR WALL MOUNT DISPENSER



JOB
AREA
ITEM NO.
MODEL NO.

Model
3076BK



Features

- Seamless head in any length up to 96" (32 faucets).
- "Gang Run" multiple heads to create unlimited length and faucet count.
- Beer leads exit through the back.
- Accessory Glass Rinser can be added to each glass rack.
- Faucets not included.
- Faucets located on 3" Centers.
- Easy Installation system - Heavy duty 14 gauge mounting bracket with slotted hole mounts allows anchoring to multiple wall studs along the length of the dispensing head.



AIR-COOLED MODULAR WALL MOUNT DISPENSER

LEADS OUT THE BACK:

Part No. 3076BK	-6	-7	-8	-9	-10	-11
Faucet Quantity	6	7	8	9	10	11
Glass Rack Quantity	1	1	1	2	2	2
Length in. (mm)	18" (457)	21" (533)	24" (610)	27" (686)	30" (762)	33" (838)
Height in. (mm)	22-3/4" (578)					
Faucet Centers in. (mm)	3" (76)					
Drain Location "D1" in (mm)	7" (178)	8-1/2" (216)	10" (254)	4-3/4" (121)	5-5/8" (143)	6-1/4" (159)
Drain Location "D2" in. (mm)				22-1/8" (562)	24-3/8" (619)	26-5/8" (676)
Acc. Glass Rinser Location "G1" in. (mm)	9" (229)	10-1/2" (267)	12" (305)	6-3/4" (171)	7-5/8" (194)	8-1/4" (210)
Acc. Glass Rinser Location "G2" in. (mm)				20-1/8" (511)	22-3/8" (568)	24-5/8" (625)

Part No. 3076BK	-12	-13	-14	-15	-16	-17
Faucet Quantity	12	13	14	15	16	17
Glass Rack Quantity	2	2	2	2	2	3
Length in. (mm)	36" (914)	39" (991)	42" (1067)	45" (1143)	48" (1219)	51" (1295)
Height in. (mm)	22-3/4" (578)					
Faucet Centers in. (mm)	3" (76)					
Drain Location "D1" in (mm)	7-1/8" (181)	7-3/4" (197)	8-1/2" (216)	9-1/4" (235)	14-1/8" (359)	6-5/8" (168)
Drain Location "D2" in. (mm)	28-7/8" (733)	31-1/4" (794)	33-1/2" (851)	35-3/4" (908)	33-7/8" (860)	23-1/2" (597)
Acc. Glass Rinser Location "G1" in. (mm)	9-1/8" (232)	9-3/4" (248)	10-1/2" (267)	11-1/4" (286)	12-1/8" (308)	8-5/8" (219)
Acc. Glass Rinser Location "G2" in. (mm)	26-7/8" (683)	29-1/4" (743)	31-1/2" (800)	33-3/4" (857)	35-7/8" (911)	25-1/2" (648)

Part No. 3076BK	-18	-19	-20	-21	-22	-23
Faucet Quantity	18	19	20	21	22	23
Glass Rack Quantity	3	3	3	3	3	3
Length in. (mm)	54" (1372)	57" (1448)	60" (1524)	63" (1600)	66" (1676)	69" (1753)
Height in. (mm)	22-3/4" (578)					
Faucet Centers in. (mm)	3" (76)					
Drain Location "D1" in (mm)	11-1/8" (283)	7-5/8" (194)	8-1/8" (206)	8-5/8" (219)	9-1/8" (232)	9-5/8" (244)
Drain Location "D2" in. (mm)	29" (737)	26-1/2" (673)	28" (711)	29-1/2" (749)	31" (787)	32-1/2" (826)
Drain Location "D3" in. (mm)	46-7/8" (1191)	49-3/8" (1254)	51-7/8" (1318)	54-3/8" (1381)	56-7/8" (1445)	59-3/8" (1508)
Acc. Glass Rinser Location "G1" in. (mm)	9-1/8" (232)	9-5/8" (244)	10-1/8" (257)	10-5/8" (270)	11-1/8" (283)	11-5/8" (295)
Acc. Glass Rinser Location "G2" in. (mm)	27" (686)	28-1/2" (724)	30" (762)	31-1/2" (800)	33" (838)	34-1/2" (876)
Acc. Glass Rinser Location "G3" in. (mm)	44-7/8" (1140)	47-3/8" (1203)	49-7/8" (1267)	52-3/8" (1330)	54-7/8" (1394)	57-3/8" (1457)




AIR-COOLED MODULAR WALL MOUNT DISPENSER

LEADS OUT THE BACK:

Part No. 3076BK	-24	-25	-26	-27	-28	-29	-30	-31	-32
Faucet Quantity	24	25	26	27	28	29	30	31	32
Glass Rack Quantity	4	4	4	4	4	4	4	4	4
Length in. (mm)	72" (1829)	75" (1905)	78" (1981)	81" (2057)	84" (2134)	87" (2210)	90" (2286)	93" (2362)	96" (2438)
Height in. (mm)	22-3/4" (578)								
Faucet Centers in. (mm)	3" (76)								
Drain Location "D1" in. (mm)	7-1/8" (181)	7-1/2" (191)	7-7/8" (200)	8-1/4" (210)	8-5/8" (219)	13" (330)	13-3/8" (340)	13-3/4" (349)	14-1/8" (359)
Drain Location "D2" in. (mm)	25" (635)	30-1/8" (765)	27-1/4" (692)	28-3/8" (721)	29-1/2" (749)	34-5/8" (879)	35-3/4" (908)	36-7/8" (937)	38" (965)
Drain Location "D3" in. (mm)	47" (1194)	44-7/8" (1140)	50-3/4" (1289)	52-5/8" (1337)	54-1/2" (1384)	52-3/8" (1330)	54-1/4" (1378)	56-1/8" (1426)	58" (1473)
Drain Location "D4" in. (mm)	64-7/8" (1648)	67-1/2" (1715)	70-1/8" (1781)	72-3/4" (1848)	75-3/8" (1915)	74" (1880)	76-5/8" (1946)	79-1/4" (2013)	81-7/8" (2080)
Acc. Glass Rinser Location "G1" in. (mm)	9-1/8" (232)	9-1/2" (241)	9-7/8" (251)	10-1/4" (260)	10-5/8" (270)	11" (279)	11-3/8" (289)	11-3/4" (298)	12-1/8" (308)
Acc. Glass Rinser Location "G2" in. (mm)	27" (686)	28-1/8" (714)	29-1/4" (743)	30-3/8" (772)	31-1/2" (800)	32-5/8" (829)	33-3/4" (857)	34-7/8" (886)	36" (914)
Acc. Glass Rinser Location "G3" in. (mm)	45" (1143)	46-7/8" (1191)	48-3/4" (1238)	50-5/8" (1286)	52-1/2" (1334)	54-3/8" (1381)	56-1/4" (1429)	58-1/8" (1476)	60" (1524)
Acc. Glass Rinser Location "G4" in. (mm)	62-7/8" (1597)	65-1/2" (1664)	68-1/8" (1730)	70-3/4" (1797)	73-3/8" (1864)	76" (1930)	78-5/8" (1997)	81-1/4" (2064)	83-7/8" (2130)

ACCESSORY GLASS RINSER Using the grid above, determine the number of Glass Racks. A "Glass Rinser" can be optionally located in the Middle of each glass rack. Use a "M" to include a Glass Rinser or a "X" to designate NO Glass Rinser.



Example Glass Rinser Locations: **MXXM**

Model Number Key: **3076** **BK** # of Faucets **M** or **X** (Glass Rinser Options) **38** = Fittings for 3/8" Beer Line

EXAMPLES	DESCRIPTION
3076BK30MXXM	Wall Mount Head, Leads Out the Back, 30 Faucets, Glass Rinser in Rack 1, No Rinser in Racks 2 & 3, Rinser in Rack 4, 3/8" Fittings
3076BK6X25	Wall Mount Head, Leads Out the Back, 6 Faucets, No Glass Rinser, 1/4" Fittings



AIR-COOLED MODULAR WALL MOUNT DISPENSER

