



PERLICK | RESIDENTIAL DESIGN GUIDE



/HAT MAKES IT A PERLICK4
UTDOOR REFRIGERATION
ARINE MATERIALS UPGRADE
UAL-ZONE REFRIGERATION
ELICIOUS DETAILS
EAMLESS INTEGRATION
ON'T FORGET THE BEER
OMMITMENT TO SUSTAINABILITY
IDUSTRY'S BEST WARRANTY 17





# QUALITY & INNOVATION THAT INSPIRE

Enjoy ice cold beverages, brewery-fresh draft beer, the perfectly chilled vintage, crisp fruits and vegetables bursting with flavor, and even chilled face cream – all made possible with Perlick's quality line of residential undercounter refrigeration.

Featuring the most innovative products in the industry, Perlick makes it easier than ever to add refrigeration to any room of the home – including the home bar, entertainment room, kitchen, family room and bathroom – no matter how much space you have.

GET INSPIRED. CHOOSE PERLICK.

HANDCRAFTED SINCE 1917	18
RAPIDCOOL REFRIGERATION	19
SIGNATURE SERIES	20
C-SERIES / ADA HEIGHT COMPLIANT	32
ICE MAKERS	36
COLUMN REFRIGERATORS / FREEZERS / WINE RESERVES	38
DOORS STYLES & ACCESSORIES	42
MODEL SPECIFICATION GUIDE	46

Industry's largest collection of ENERGY STAR™ Certified undercounter refrigeration



Food and beverages are brightly illuminated by choice of **Crisp White and Cool Blue adjustable LED lighting** 



Sleek stainless steel interiors are not only beautiful to look at, but also provide a sanitary environment resistant to stains and odors



Two inch thick foamed-in-place Insulation provides industry leading protection against outside ambient and vibration



Industry's Best **6 Year Parts & Labor Warranty** on all undercounter
refrigeration. 2 year Parts & Labor
Warranty offered on all ice makers.



**Digital controller with audible door alarm** provides precision temperature control and readout



Perlick's proprietary RAPIDcool™ Forced-Air Refrigeration System provides industry leading cooling performance With up to 30% less noise than leading competitors

Stock and retrieve product with ease with adjustable **Full Extension Pullout Shelves** for all models – including refrigerators





All models are available with stainless steel or fully integrated overlay panel-ready fronts. All doors are reversible, and stainless steel doors can be converted to overlay models with ease.





With **over 125 models** to choose from, Perlick boasts the largest portfolio of undercounter refrigeration UL-rated for outdoor use. Available in 15- and 24-inch configurations, Perlick Refrigerators, Beverage Centers, Wine Reserves, Beer Dispensers, Freezers and Ice Makers are designed to take your outdoor entertaining space to the next level.

Perlick's patented **Signature Series Dual-Zone** models offer two independently-controlled temperature zones within a single 24" footprint to make the most out of your available space. The **Signature Series Shallow Depth** collection of 18" depth refrigeration is perfect for balcony patios that require an appliance with a shallow depth.

Learn more about what makes Perlick outdoor models special below.





# BATTLE THE HARSHEST CONDITIONS WITH A MARINE MATERIALS UPGRADE

Coastal areas are the perfect place for luxury outdoor kitchens, but when presented with the extreme conditions of these environments, salt and sand can take their toll on your outdoor refrigeration equipment. You asked – we listened. Perlick is happy to announce the availability of an all-new Perlick Armor™ Marine Materials Upgrade for our Signature Series equipment, providing optimal corrosion resistance for food and beverage storage safety. Designed for life in even the most extreme coastal conditions, it allows you to enjoy the ultimate in refrigeration wherever you find paradise.





#### Components of Perlick Armor™

- Mix of all 316 & 304 stainless steel for optimal corrosion resistance food and beverage storage safety
- Upgraded 18-8 stainless steel and zinc plated fasteners ensure rust won't form in attachment zones
- E-coated condensers add durability to the refrigeration system in the most extreme conditions
- Available on all HP & HH Series residential models


#### Along with the standard Signature Series features:


- Robust 1000 BTU refrigeration system powered by Perlick's exclusive variable speed compressor provides industry-leading cooling capabilities and intuitive temperature control - meaning the system will only run when it senses a temperature rise
- Front vented, RAPIDcool™ forced air refrigeration system provides the most energy efficient cool down, up to 70% faster than leading competitors
- Illuminated by dual-color LED lighting, giving you the option of 6000K Crisp White or Cool Blue lighting with just the press of a button
- At 32" tall, the Shallow Depth collection is ADA height compliant for accessible design needs

# TWO TEMPERATURES. ONE 24" FOOTPRINT. DUAL-ZONE REFRIGERATION

Perlick's full line of dual-zone refrigeration boasts two independently controlled temperature zones, serving double duty for the storage and service of your favorite foods and beverages within the same 24" footprint.

Powered by Perlick's exclusive RAPIDcool forced-air refrigeration system for exceptional cooling performance and sleek, stainless steel interiors for beauty and durability, Signature Series Dual-Zone units are built with form and function in mind. Indoor and UL-approved outdoor Freezer/Refrigerator Drawer, Refrigerator/Wine Reserve, and Wine Reserve/Wine Reserve models are available.





# BEHOLD THE DELICIOUS DETAILS OF OUR COLUMN REFRIGERATORS, FREEZERS, AND WINE RESERVES

Our 24" and 30" refrigerators feature Perlick's patented QuatroCool™ cooling system, offering four independently controlled temperature zones for deli, meat/fish, produce and beverages. Our tip out produce bin features proven food preservation technology that keeps greens fresher and crisper, longer. Advanced electronic monitoring of humidity levels adds moisture back into the compartment, while our filtration system removes the gases emitted by fruits and vegetables.


Our freezers offer a commercial-grade, stainless-steel interior, **full-extension open drawer bins**, and **vibrant LED lighting**. It incorporates our quiet, powerful, **frost-free cooling** that has made us the choice of fine commercial venues for more than 100 years. Pair with the 24" or 30" column refrigerator for the ultimate fresh and frozen food preservation system.

Our 24" Column Single- and Dual Zone Wine Reserves feature vibration-resistant soft-coat glide out shelves and advanced humidity, air filtration and temperature control. Vibrant blue or white LED roll-on theatre lighting adjusts for display or storage, and emits no UV light to protect against oxidation and degradation. Bronze tinted, UV resistant glass is LowE- and argon filled, protecting from light exposure which can cause oxidation in wine and degrade it over time. Advanced technology maintains humidity levels to preserve corks and prevent oxidation.

24" Column Freezer (left) and 24" Column Refrigerator (right)

# Quatrocool TECHNOLOGY Perlick QuatroCool cooling system keeps food fresh for longer in 4 zones. Main Compartment Deli Drawer Meat & Fish Drawer Tip out Produce Bin






## AND DON'T FORGET ABOUT THE BEER

We've spent decades developing proprietary technologies in both refrigeration and beverage dispensing to serve that perfect cold beer to crowds of thousands. You can now enjoy the same experience and quality in the comfort of your own home surrounded by friends and family.

Perlick designed and engineered 630SS and 650SS (shown) beer faucets are stainless steel and standard on all models





Adjust the speed of the pour foaming occurs. It's another award-winning **Perlick exclusive** you won't find anywhere else.



Towers are air-cooled with RAPIDcool™ forced-air **technology** to keep beer cold from keg to faucet

Perlick's exclusive accessory S-Series Lo-Boy keg coupler Stella Artois, Strongbow, Pilsner Urquell, Heineken, etc.)





Perlick features the industry's largest selection of Energy Star™ Rated undercounter refrigeration and utilizes clean technologies like Hydrocarbon Refrigerant for their very low Global Warming Potential (GWP). We've had a Tier 1 partnership with Green Tier Wisconsin since 2009 and been a partner on the Partners for a Cleaner Environment Honor Roll for the Milwaukee Metropolitan Sewerage District (MMSD) since 2002.







# **SINCE 1917**







# CRAFTSMANSHIP IS IN OUR DNA

We're a family-owned company, spanning 100+ years and five generations of Perlick family members who are dedicated to providing the industry's highest quality commercial and residential refrigeration. Every Perlick refrigerator is built to exacting standards to meet strict commercial regulations, which means you can be confident that your Perlick is built to last under even the heaviest usage.


We've mastered the art of balancing innovation and craftsmanship. You can trust Perlick to provide precision temperature control and build every unit with the finest features and materials.


# THE MOST INNOVATIVE REFRIGERATION SYSTEM IN THE INDUSTRY

# $\overline{RAPIDCOOL}^{\scriptscriptstyle{ ext{TM}}}$

Perlick has refrigeration down to a science. With a century's worth of experience in designing, engineering, and manufacturing bar and beverage refrigeration for the commercial market, we've mastered the art of building cutting edge refrigeration systems that balance power and precision. All Perlick models boast RAPIDcool™ forced-air refrigeration, providing the industry's most energy efficient cooling with up to 70% faster cooling speeds than leading competitors and 30% less noise. Read on to learn how Perlick compares to competitor refrigeration systems.


#### PERLICK RAPIDCOOL™ FORCED-AIR REFRIGERATION






AIR IS BLOWN WITH A POWERFUL FAN THROUGH THOUSANDS OF ALUMINUM FINS, PROVIDING SUPERIOR COOLING WITH 7X THE COOLING SURFACE COMPARED TO COLD PLATE MODELS

#### COMPETITOR COLD PLATE REFRIGERATION






AIR IS BLOWN OVER A
THIN ALUMINUM SHEET
KNOWN AS A COLD PLATE

#### MEET THE

# SIGNATURE SERIES

Our flagship collection of undercounter refrigeration, the Perlick Signature Series, comes in a variety of sizes and styles to fit any space and storage need. It's the crème de la crème of undercounter refrigeration, and every Signature Series model is available for indoor or outdoor use.





- Available in 15" & 24" models, as well as the exclusive Signature Series Shallow Depth models which feature an 18" depth
- Robust 1000 BTU refrigeration system powered by Perlick's exclusive variable speed compressor provides industry-leading cooling capabilities and intuitive temperature control - which means system will only run when it senses a temperature
- Front vented, RAPIDcool™ forced air refrigeration system provides the most energy efficient cool down, up to 70% faster than leading competitors
- State of the art digital temperature control with audible door alarm in all models

- Illuminated by dual-color LED lighting, giving you the option of 6000K Crisp White or Cool Blue lighting with just the press of a button
- Stainless steel interiors and exteriors for long life durability and easy cleaning
- All Signature Series products are available as indoor or UL-rated outdoor models
- Industry Exclusive Shallow Depth undercounter refrigeration that measures just 18" deep
- Measuring 32" tall, the Shallow Depth collection is ADA height compliant for accessible design needs



#### SIGNATURE SERIES REFRIGERATORS

Perlick proudly offers the industry's widest selection of undercounter refrigerators, making it easier than ever to add point-of-use refrigeration to anywhere inside – or outside – the home. Stainless steel interiors and whisper quiet operation makes Perlick the perfect choice for all of your favorite foods and beverages.

#### **Food Safety**



Perlick's exclusive RAPIDcool forced-air refrigeration technology provides industry leading cooling and temperature control for food safety.

#### The Beauty of Stainless



Perlick's sleek **stainless steel interiors** are easy to clean and resistant to odors, stains and mold — it's what the professionals demand in their kitchens.

#### **Unmatched Shelving**



Perlick's exclusive **full extension shelves** pull completely out of the cabinet to make stocking and retrieving product easy. Stainless steel ball bearing glides provide smooth movement in and out of cabinet even when fully stocked.

**OUALIFIED** 

#### For complete model number listing, product specs, and quick reference, see page 44

#### 15" SIGNATURE SERIES REFRIGERATORS










-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*



-5 Stainless Steel Drawers -6 Fully Integrated Drawers \*

#### 24" SIGNATURE SERIES REFRIGERATORS (Single Zone Models)










-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*



-5 Stainless Steel Drawers -6 Fully Integrated Drawers \*

#### 24" SIGNATURE SERIES REFRIGERATORS (Dual Zone Models)










-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*



-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### SIGNATURE SERIES SHALLOW DEPTH REFRIGERATORS (ADA height compliant)





-2 Fully Integrated Solid Door \*





-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

<sup>\*</sup> This model comes ready to accept a custom panel



#### SIGNATURE SERIES FREEZERS

When it comes to stylish freezer solutions, Perlick offers it all. Quiet, powerful and energy efficient, all Perlick freezers - including the Signature Series Dual-Zone Freezer/Refrigerator Drawers - feature forced-air refrigeration and maintenance-free defrosting.

#### Maintenance-Free



**Maintenance-free defrosting** makes owning and maintaining Perlick freezers simple.

#### The Beauty of Stainless



Perlick's **sleek, stainless steel interiors** are easy to clean and resistant to odors, stains and mold. It's what the professionals demand in their kitchens and it's available to you, too.

#### **Precision and Control**



Perlick's **state of the art digital controller** provides precise temperature readout and adjusts automatically for temperature consistency, and an audible door alarm warns user if door is held open.

**OUALIFIED** 






#### 24" SIGNATURE SERIES FREEZERS (Single Zone Models)



#### 24" SIGNATURE SERIES FREEZERS (Dual-Zone Models)






#### STACKING KITS

RS-SK-15L/R / RS-SK-24L/R / RS-SK-18-L/R

Mix and match Perlick undercounter refrigeration to create custom modular refrigeration for anywhere inside or outside the home. Choose from refrigerators, freezers, beverage centers and wine reserves, as well as our Dual-Zone refrigeration, to create flexible storage for your specific refrigeration needs.



#### SIGNATURE SERIES BEVERAGE CENTERS

The elegance of a wine reserve meets the practicality of a refrigerator with Perlick's full line of beverage centers. With storage for up to 16 bottles of your favorite wine and storage for a variety of canned and bottled beverages below, the Perlick beverage center keeps refreshments cold anywhere inside – or outside – the home.

#### For Show and Strength



Glass doors feature **Low E, Argon filled dual pane thermal glass with UV resistant coating** to limit energy transfer through glass and add increased strength; indoors or out.

#### **RAPIDcool Technology**



All models feature **Perlick's exclusive RAPIDcool forced-air refrigeration system** for unmatched cooling capabilities and temperature control.

#### **Unmatched Shelving**



Perlick's exclusive **full extension shelves** pull completely out of the cabinet to make stocking and retrieving beverages easy. Our stainless steel ball bearing glides provide smooth movement in and out of cabinet even when fully stocked.

**OUALIFIED** 

#### For complete model number listing, **AVAILABLE MODELS** product specs, and quick reference, see page 44














-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### 24" SIGNATURE SERIES BEVERAGE CENTERS










-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### SIGNATURE SERIES SHALLOW DEPTH BEVERAGE CENTERS (ADA height compliant)









-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### SHELVING AND COMPARTMENT ACCESSORIES






RS-18-18R Shelf, HH24 Refrigerator



RS-18-18W Shelf, HH24 Wine



RS-24-24WD Shelf, 24" Dual-Zone Wine



67115-15/67115-24 15" and 24" Wood Wine Faces



67964

Stainless Steel Drawer Dividers

<sup>\*</sup> This model comes ready to accept a custom panel



#### SIGNATURE SERIES WINE RESERVES

Whether you are a wine novice or a collector of the finest vintages, Perlick has the answer for the storage and service of your prized bottles of wine. Store up to 45 bottles of your favorite wine in the Perlick patented 24" Signature Series Wine Reserve, or keep a small collection of 20 bottles on hand for gatherings in our 15" Signature Series Wine Reserve.

#### For Show and Strength



Glass doors feature **Low E**, **Argon filled dual pane thermal glass with UV resistant coating** to limit energy transfer through glass and add increased strength; indoors or out.

#### **RAPIDcool Technology**



All models feature **Perlick's exclusive RAPIDcool forced-air refrigeration system** for unmatched cooling capabilities and temperature control.

#### **Unmatched Shelving**



Perlick's exclusive **full extension flex shelves** pull completely out of the cabinet to make stocking and retrieving wine bottles easy. Stainless steel ball bearing glides provide smooth movement in and out of cabinet even when fully stocked.

#### 15" SIGNATURE SERIES WINE RESERVES



#### 24" SIGNATURE SERIES WINE RESERVES (Single Zone Models)



#### 24" SIGNATURE SERIES WINE RESERVES (Dual Zone Models)



#### SIGNATURE SERIES SHALLOW DEPTH WINE RESERVES (ADA height compliant)





## SIGNATURE SERIES BEER DISPENSERS

Perlick is the brand professionals trust to dispense beer at their bars, restaurants and stadiums around the world. We've taken the same, innovative technology we've been developing since prohibition to bring you the industry's best residential beer dispensers.

#### **Power and Control**



Perlick patented dispensing technology, including the **Perlick 650SS Stainless Steel Flow Control Faucet**, works in tandem with Perlick's powerful refrigeration system to serve the perfect beer, pour after pour.

#### **RAPIDcool Technology**



All models feature **Perlick's exclusive RAPIDcool forced-air refrigeration system** for unmatched cooling capabilities and temperature control in the cabinet and up through the tower.

#### **Unmatched Construction**



**Two inch thick foamed in place Insulation** provides industry leading protection against outside ambient. **Stainless steel interiors** are heavy duty enough to stand up to kegs, and are sanitary for easy cleaning.

#### 15" SIGNATURE SERIES BEER DISPENSERS



#### 24" SIGNATURE SERIES BEER DISPENSERS (Single Faucet Models)



#### 24" SIGNATURE SERIES BEER DISPENSERS (Two Faucet Models)



#### BEER DISPENSER ACCESSORIES



63797 Beer Dispenser Cleaning Kit (Includes pump, sanitizer, and tools to clean lines)



BLC32 / BLC4 Sanitizer for Beer Dispensers (32 oz / 4 oz)



308-40C

Beer Faucet Lock
(Compatible with
630SS Faucets)



67141-1 Perlick Beer Faucet Handle



630SS **630SS** Forward-Sealing Faucet



67782 Drip Pan for Beer Dispensers

<sup>\*</sup> This model comes ready to accept a custom panel

# C-SERIES / ADA HEIGHT COMPLIANT SERIES

Inspired by our commercial offering, the C-Series includes a thoughtful selection of features in a 24" width. Select outdoor models available.

The industry's widest selection of ADA height compliant undercounter refrigeration features superior refrigeration and stainless steel interiors. It's a designer favorite for both residential and light commercial projects that require ADA compatibility.





#### All C-Series & ADA Height Compliant Models feature:

- Robust 800 BTU refrigeration system featuring Perlick's exclusive front vented, RAPIDcool™ forced air refrigeration system
- Rated for beverage & open food storage
- Digital temperature control with audible door alarm in all models
- Stainless steel interiors

- Full extension smooth glide shelving, eliminates reaching into the back of the cabinet
- Industry's Best 6 Year Full Parts & Labor Warranty
- ADA Series units feature 32" height and ADA height compliant product design for accessible & aging in place designs

#### **C-SERIES PRODUCTS**


#### **AVAILABLE MODELS**

For **complete model number listing, product specs, and quick reference**, see page 44





#### 24" C-SERIES REFRIGERATORS





-1 Stainless Steel Solid Door
-2 Fully Integrated Solid Door \*




-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*



-5 Stainless Steel Drawers -6 Fully Integrated Drawers \*

#### 24" C-SERIES BEVERAGE CENTERS






-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*



-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### 24" C-SERIES WINE RESERVES






-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*



-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### 24" C-SERIES BEER DISPENSERS (Single and Two Faucet Models)





-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*



-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*



Capacity: Two 1/6 barrels

OR

1/4

One 1/4 barrel

SLIM 1/4

One slim 1/4 barrel

#### ADA HEIGHT COMPLIANT SERIES PRODUCTS


#### **AVAILABLE MODELS**

For **complete model number listing, product specs, and quick reference**, see page 44





#### 24" ADA HEIGHT COMPLIANT SERIES REFRIGERATORS





-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*




-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*



-5 Stainless Steel Drawers -6 Fully Integrated Drawers \*

#### 24" ADA HEIGHT COMPLIANT SERIES FREEZERS






-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*




-5 Stainless Steel Drawers -6 Fully Integrated Drawers \*

#### 24" ADA HEIGHT COMPLIANT SERIES BEVERAGE CENTERS










-4 Stainless Steel Glass Door -4 Fully Integrated Glass Door \*

#### 24" ADA HEIGHT COMPLIANT SERIES WINE RESERVES





-1 Stainless Steel Solid Door -2 Fully Integrated Solid Door \*



-4 Stainless Steel Glass Door-4 Fully Integrated Glass Door \*

#### ON THE ROCKS WITH

# ICE MAKERS

Your beverage is only as good as the ice that keeps it cold. Trust Perlick to produce pure ice that lets your cocktail and other beverages shine. Available in clear and cubelet ice styles in both standard and ADA height compliant heights, Perlick indoor/outdoor undercounter ice makers are a must for any well appointed entertainment space.






## **CLEAR ICE MAKERS**

#### **ICE SHAPE**

Rounded, top hat shape

#### **ICE TYPE**

Hard, clear, slow melting ice



#### **ADVANTAGES**

This ice maker produces solid cubes, resulting in clear, slow melting ice that won't dilute your drink as fast as regular ice. The unique shape of each cube isn't just aesthetically pleasing, it also prevents the ice from clumping.

## **CUBELET** ICE MAKERS

#### **ICE SHAPE**

Pellet/nugget shape

#### **ICE TYPE**

Soft, compacted ice



#### **ADVANTAGES**

This popular chewable ice absorbs the flavors of the beverages poured over it. It's easy to crunch and is perfect for a wide variety drinks. Cubelet ice is also great for serving specialty foods like seafood.

## **AVAILABLE MODELS**

For complete model number listing, product specs, and quick reference, see page 44




#### 15" SIGNATURE SERIES ICE MAKERS (Clear or Cubelet)





S - Stainless Steel Solid Door W - Fully Integrated Solid Door \*

#### **ADA-COMPLIANT SERIES ICE MAKERS** (Clear or Cubelet)





S - Stainless Steel Solid Door W - Fully Integrated Solid Door \*

<sup>\*</sup> This model comes ready to accept a custom panel

## ALL THE DELICIOUS DETAILS OF

## COLUMN REFRIGERATION

Perlick's line of column appliances includes 24" and 30" column refrigerators, 24" column freezers, and single- and dual-zone 24" column wine reserves.





- 24" and 30" Column Refrigerators feature Perlick's exclusive QuatroCool™ Technology, ensuring precision temperature and humidity control in 4 different regions, offering dual chamber air filtration throughout.
- Touch screen controls are customizable to 1° increments in all our columns. Enjoy access to smart settings for a variety of fresh and frozen foods, or store your wines at their ideal temperatures. Access settings for lighting, Sabbath mode and more with a single touch.
- 24" and 30" Column Refrigerators feature frameless spill proof shelving, tiered deli drawers, tip out produce bins, and slide in stainless steel pans for marinating or storing premade appetizers and sous vide packets.
- Column Refrigerators and Freezers are brightly illuminated by white roll-on theatre lighting, while Wine Columns include the option of white and blue roll-on theatre lighting.

- Wine Columns are available in an industry exclusive single temperature model for maximum capacity or a dual zone model to store red and white wine at their recommended temperatures.
- Wine Columns feature a convertible display shelf to showcase 6 prized wine bottles with additional storage for 4 dessert (half sizes) wine bottles when angled up. The shelf easily lays flat to store 11 bottles without additional parts and pieces.
- Perlick's advanced technology monitors humidity levels in our wine reserve, and if necessary, pushes additional moisture into the compartment to maintain 60-70% relative humidity - preserving corks and preventing oxidation. Soft coat full extension shelves gently cradle each bottle and protect them from vibration.
- All columns have stainless steel interiors and exteriors for long life durability, easy cleaning, and sanitation. Manufactured ready to accept custom or stainless steel panels.




## COLUMN REFRIGERATORS / FREEZER

## AVAILABLE MODELS

For **complete model number listing, product specs, and quick reference**, see page 44


## 24" COLUMN REFRIGERATOR





- -1 Stainless Steel Solid Door
- -2 Fully Integrated Solid Door \*


## **30" COLUMN REFRIGERATOR**





- -1 Stainless Steel Solid Door
- -2 Fully Integrated Solid Door \*

## 24" COLUMN FREEZER





- -1 Stainless Steel Solid Door
- -2 Fully Integrated Solid Door \*




## WINE COLUMNS

## AVAILABLE MODELS

For **complete model number listing, product specs, and quick reference**, see page 44


## 24" COLUMN DUAL-ZONE WINE RESERVE





- -4 Stainless Steel Glass Door
- -4 Fully Integrated Glass Door \*

## 24" COLUMN SINGLE-ZONE WINE RESERVE





- -4 Stainless Steel Glass Door
- -4 Fully Integrated Glass Door \*

# ACCESSORIES AND DOOR STYLES

Perlick offers the industry's widest selection of premium undercounter refrigeration for inside and outside the home, and for that, we have a wide selection of accessories and door styles to choose from. Customize your Perlick to meet your exact storing and serving needs.

24" Signature Series Freezer with accessory 24" Martini Rack



## SHELVING AND COMPARTMENT ACCESSORIES



RS-15-15R *Shelf, HP15 Refrigerator* 




RS-15-15W Shelf, HP15 Wine



RS-24-24R Shelf, 24" Refrigerator



RS-24-24W *Shelf, 24" Wine* 



RS-24-24M Shelf, 24" Martini Rack



RS-24-24D Shelf, 24" Divider




RS-18-18R *Shelf, HH24 Refrigerator* 



RS-18-18W Shelf, HH24 Wine



RS-24-24WD Shelf, 24" Dual-Zone Wine



65629 Bottle Display Rack



67115-15/67115-24 *15" & 24" Wood Wine Faces* 



67964 Stainless Steel Drawer Dividers



## DRAWER PAN TRAY

## RK24DP

Organize fresh and prepared ingredients with Perlick's Drawer Pan Tray. A stainless steel tray holds three stainless steel prep pans that come with stain resistant translucent covers. Available for 24" Signature Series, 24" C-Series and 24" ADA height compliant Series Refrigerator Drawer models.

## MISC. HARDWARE KITS AND ICE MAKER ACCESSORIES



(L) Factory Installed Door/Drawer Lock



67439 L/R *Door Hinge Kit* 



RS-TK-HA24-6 / RS-TK-HH24 6" Toe Kick for ADA (RS-TK-HA24-6) and Shallow Depth (RS-TK-HH24)



66736-15/66736 15"/24" Caster Kits



63802A Drain Pump for H50 Clear Ice Makers



68117-1 Optional Stainless Steel Toe Kick for H50 Ice Makers



## STACKING KITS

RS-SK-15L/R / RS-SK-24L/R / RS-SK-18-L/R

Mix and match Perlick undercounter refrigeration to create custom modular refrigeration anywhere inside or outside the home. Choose from refrigerators, freezers, beverage centers and wine reserves - as well as our new Dual-Zone refrigeration - to create flexible storage for your specific refrigeration needs.

## BEER DISPENSER ACCESSORIES



63797 Beer Dispenser Cleaning Kit (Includes pump, sanitizer, and tools to clean lines)



BLC32 / BLC4

Sanitizer for Beer Dispensers
(32 oz / 4 oz)



308-40⊂ Beer Faucet Lock (Compatible with 630SS Faucets)



67141-1 Perlick Beer Faucet Handle



630SS 630SS Forward -Sealing Faucet



67782

Drip Pan for

Beer Dispensers



## LO-BOY "S" SERIES KEG COUPLER

40030S

Enjoy a wider variety of kegged beer with the new Perlick Lo-Boy "S" Series Keg Coupler. This coupler fits "S" system kegs, which are used by brands such as **Heineken**, **Newcastle**, **Stella Artois**, **Amstel**, **Bemish**, **Murphy's**, **Strongbow** and **Hofbrau** (just to name a few). This coupler can be used on all Perlick Beer Dispenser models and is exclusive to Perlick.

## DOOR STYLES FOR EVERY DESIGN













Perlick offers a variety of door styles to complement any design. The numbered image above coordinates with the 'Door Styles Available' column in the Quick Reference chart. All doors are available hinged left or right, and fully integrated overlay panels come ready to accept a custom panel from your millworker to create a seamless look with cabinetry.

- Industry Exclusive convertible door design allows all doors to be converted to overlay from stainless steel
- All doors are field reversible with accessory hinge kit (excluding ice maker models)
- Template available to create a matching overlay toe kick





## **MODEL SPECIFICATION GUIDE**

					l Dimensions - in. It Dimensions - in				
Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
HP15RS-4-**	Refrigerator	23	15" Signature Series Indoor Refrigerator	14-7/8" (378)	24" (610)	34-1/4" (870)	2 full-extension pullout shelves	2.8 cu.ft.	66 cans
HP15RS-4-**	Refrigerator	23	15" Signature Series	15" (381)	24-7/8" (632) 24" (610)	34-1/2" (876) 34-1/4" (870)	No shelves	2.8 cu.ft.	18 cans
111 1313 4	nemgerator	23	Indoor Refrigerator Drawers	15" (381)	24-7/8" (632)	34-1/2" (876)	NO SHEIVES	2.0 Cu.rt.	(Top Drawer)
HP24RS-4-**	Refrigerator	23	24" Signature Series Indoor Refrigerator	23-7/8" (606)	24" (610)	34-1/4" (870) 34-1/2" (876)	2 full-extension pullout shelves	5.2 cu.ft.	144 cans
HP24RS-4-**	Refrigerator	23	24" Signature Series Indoor Refrigerator Drawers	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	N/A
			18" Signature Shallow Depth	24" (610) 23-7/8" (606)	24" (610) 18" (457)	34-1/2" (876) 32" (813)	26 11		
HH24RS-4-**	Refrigerator	23	Indoor Refrigerator (ADA height compliant)	24" (610)	18" (457)	32-1/4" (819)	2 full-extension pullout shelves	3.1 cu.ft.	68 cans
HP24ZS-4-**	Refrigerator/ Freezer	25	24" Signature Series Indoor Dual-Zone Refrigerator	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.0 cu.ft.	42 cans (Ref. Drawer)
			/Freezer Drawers 24" Signature Series	24" (610) 23-7/8" (606)	24" (610) 24" (610)	34-1/2" (876) 34-1/4" (870)	26.11		41 cans and
HP24CS-4-**	Refrigerator/ Wine Reserve	29	Indoor Dual-Zone Refrigerator/ Wine Reserve	24" (610)	24" (610)	34-1/2" (876)	2 full-extension wine shelves, 1 full-extension shelf	5.0 cu.ft.	14 bottles of wine
HP24FS-4-**	Freezer	25	24" Signature Series Indoor Freezer	23-7/8" (606)	24" (610) 24" (610)	34-1/4" (870) 34-1/2" (876)	2 full-extension pullout shelves	5.2 cu.ft.	N/A
	_		24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)			
HP24FS-4-**	Freezer	25	Indoor Freezer Drawers	24" (610)	24" (610)	34-1/2" (876)	No shelves	5.0 cu.ft.	N/A
HP15BS-4-**	Beverage Center	27	15" Signature Series Indoor Beverage Center	14-7/8" (378) ————————————————————————————————————	24" (610) 24-7/8" (632)	34-1/4" (870) 34-1/2" (876)	2 full-extension wine shelves, 1 full-extension shelf	2.8 cu.ft.	30 cans and 8 bottles of wine
HP24BS-4-**	Beverage Center	27	24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension wine shelves,	5.2 cu.ft.	62 cans and 16 bottles of
			Beverage Center	24" (610)	24" (610)	34-1/2" (876)	1 full-extension shelf		wine
HH24BS-4-**	Beverage Center	27	18" Signature Shallow Depth Indoor Beverage Center (ADA height compliant)	23-7/8" (606)	18" (457) 18" (457)	32" (813) 32-1/4" (819)	2 full-extension wine shelves, 1 full-extension shelf	3.1 cu.ft.	41 cans and 10 bottles of wine
HP15WS-4-**	Wine Reserve	29	15" Signature Series	14-7/8" (378)	24" (610)	34-1/4" (870)	5 full-extension	2.8 cu.ft.	20 bottles of wine
11F15W3-4-	Wille Reserve	29	Indoor Wine Reserve	15" (381)	24-7/8" (632)	34-1/2" (876)	wine shelves	2.6 Cu.it.	20 bottles of wife
HP24WS-4-**	Wine Reserve	29	24" Signature Series Indoor Single-Zone Wine Reserve	23-7/8" (606)	24" (610)	34-1/4" (870) 34-1/2" (876)	5 full-extension wine shelves	5.2 cu.ft.	45 bottles of wine
HP24DS-4-**	Wine Reserve	29	24" Signature Series Indoor	23-7/8" (606)	24" (610)	34-1/4" (870)	2 (Upper) + 2-1/2 (Lower)	5.2 cu.ft.	32 bottles of wine
ПР24D3-4-**	Wille Reserve	29	Dual-Zone Wine Reserve	24" (610)	24" (610)	34-1/2" (876)	full-extension wine shelves	5.2 Cu.it.	32 bottles of wife
HH24WS-4-**	Wine Reserve	29	18" Signature Series Indoor Shallow Depth Wine Reserve (ADA height compliant)	23-7/8" (606)	18" (457) 18" (457)	32" (813) 32-1/4" (819)	4 full-extension wine shelves	3.1 cu.ft.	20 bottles of wine
HP15TS-4-**-1*	Beer Dispenser	31	15" Signature Series Indoor Beer Dispenser	14-7/8" (378)	24" (610)	34-1/4" (870)	No shelves	2.8 cu.ft.	(1) 1/6 barrel
			·	15" (381) 14-7/8" (606)	24-7/8" (632) 24" (610)	34-1/2" (876) 34-1/4" (870)			
HP15TS-4-**-1A*	Beer Dispenser	31	15" Signature Series Indoor Adara Beer Dispenser	15" (610)	24-7/8" (632)	34-1/2" (876)	No shelves	2.8 cu.ft.	(1) 1/6 barrel
HP24TS-4-**-1*	Beer Dispenser	31	24" Signature Series Indoor Beer Dispenser - Single Tap	23-7/8" (606)	24" (610) 24" (610)	34-1/4" (870) 34-1/2" (876)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or standard barrel
HP24TS-4-**-2*	Beer Dispenser	31	24" Signature Series Indoor Beer Dispenser	23-7/8" (606)	24" (610)	34-1/2 (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		- Two Tap	24" (610)	24" (610)	34-1/2" (876)			standard barrel
HP24TS-4-**-1A*	Beer Dispenser	31	24" Signature Series Indoor Adara Beer Dispenser - Single Tap	23-7/8" (606)	24" (610) 24" (610)	34-1/4" (870) 34-1/2" (876)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or standard barrel
HP24TS-4-**-2A*	Beer Dispenser	31	24" Signature Series Indoor Adara Beer Dispenser	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or
			- Two Tap	24" (610)	24" (610)	34-1/2" (876)			standard barrel

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Marine Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	Cool blue or crisp white	6000K	1,2,3,4	HP15R0-4-**	HP15RM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	White LED task lighting	6000K	5,6	HP15R0-4-**	HP15RM-4-**	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HP24RO-4-**	HP24RM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	HP24RO-4-**	HP24RM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HH24RO-4-**	HH24RM-4-**	Full 6 Year	•	and i
Lower (-10°-10°) / Upper 30°-42°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	HP24ZO-4-**	HP24ZM-4-**	Full 6 Year	•	
Lower (33° - 42°F) / Upper (45° - 65°F)	115 VAC/60 Hz/1 Ph	R600a (57g)	Cool blue or crisp white	6000K	1,2,3,4	HP24CO-4-**	HP24CM-4-**	Full 6 Year	•	
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	1,2,5,6	HP24FO-4-**	HP24FM-4-**	Full 6 Year		
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	5,6	HP24FO-4-**	HP24FM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	Cool blue or crisp white	6000K	1,2,3,4,5,6	HP15BO-4-**	HP15BM-4-**	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HP24BO-4-**	HP24BM-4-**	Full 6 Year		and i
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HH24BO-4-**	HH24BM-4-**	Full 6 Year	•	
45° (7.2°) - 65° (18.33°)	115 VAC/60 Hz/1 Ph	R600a (38g)	Cool blue or crisp white	6000K	1,2,3,4	HP15WO-4-**	HP15WM-4-**	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HP24WO-4-**	HP24WM-4-**	Full 6 Year		
45°/51° (7.2°/10.5°) - 55°/65° (12.7°/18.3°)	115 VAC/60 Hz/1 Ph	R600a (45g)	Cool blue or crisp white	6000K	1,2,3,4	HP24DO-4-**	HP24DM-4-**	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HH24WO-4-**	HH24WM-4-**	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	White LED task lighting	6000K	1,2	HP15TO-4-**-1*	HP15TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	White LED task lighting	6000K	1,2	N/A	N/A	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-1*	HP24TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-2*	HP24TM-4-**-2*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	N/A	N/A	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	N/A	N/A	Full 6 Year	•	

Door
Style 1) Stainless Steel Solid Door 2) Fully Integrated Solid Door 3) Stainless Steel Glass Door 4) Fully Integrated Glass Door 5) Stainless Steel Drawers 6) Fully Integrated Drawers 6 Fully Integrated Drawers 7 Fully Integrated Dra

## **MODEL SPECIFICATION GUIDE**

						Dimensions - in. Dimensions - in				
	Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
	HC24RB-4-**	Refrigerator	34	24" C-Series Indoor Refrigerator	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension	5.2 cu.ft.	144 cans (Door
	HCZ4ND-4-***	Kerrigerator	34	24 C-Series indoor kerrigerator	24" (610)	24" (610)	34-1/2" (876)	pullout shelves	5.2 Cu.it.	Model)
	HC24RB-4-**	Refrigerator	34	24" C-Series Indoor Refrigerator Drawers	23-7/8" (606)	24" (610)	34-1/4" (870)	N. 1.1	5.2 cu.ft.	N/A
S			34		24" (610)	24" (610)	34-1/2" (876)	No shelves	5.2 Cu.rt.	N/A
RE	HC24BB-4-**		34	24" C-Series Indoor Beverage	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension wine shelves,	5.2 cu.ft.	62 cans and 16
C-SERIES	ПС24ВВ-4-**	Beverage Center	34	Center	24" (610)	24" (610)	34-1/2" (876)	1 full-extension shelf	5.2 Cu.it.	bottles of wine
U	HC24WB-4-**	Wine Reserve	34	24" C-Series Indoor Wine Reserve	23-7/8" (606)	24" (610)	34-1/4" (870)	5 full-extension wine shelves	5.2 cu.ft.	45 bottles of wine
	HCZ4WB-4-***	Wille Reserve	34	24 C-Series indoor wille Reserve	24" (610)	24" (610)	34-1/2" (876)	5 Tull-extension wine shelves	5.2 Cu.it.	45 bottles of wife
	HC24TP 4 **	Poor Disposer		24" C-Series Indoor Beer Dispenser Single or Two Faucet	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels
	HC24TB-4-** E	Beer Dispenser	34		24" (610)	24" (610)	34-1/2" (876)	No sneives	5.2 Cu.rt.	or (1) 1/4 slim or standard barrel

					l Dimensions - in. It Dimensions - in				
Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
HA24RB-4-**	Refrigerator	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	2 full-extension	4.8 cu.ft.	108 cans
HA24ND-4-***	Kerrigerator	33	Indoor Refrigerator	24" (610)	24-7/8" (632)	32-1/4" (819)	pullout shelves	4.6 Cu.it.	106 Calls
HA24RB-4-**	Refrigerator	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	No shelves	4.8 cu.ft.	N/A
HA24ND-4-***	-4- Refrigerator		Indoor Refrigerator Drawers	24" (610)	24-7/8" (632)	32-1/4" (819)	No stierves	4.0 Cu.it.	N/A
HA24FB-4-**	Freezer	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	2 full-extension	4.8 cu.ft.	N/A
ПА24FB-4-***	rieezei	33	Indoor Freezer	24" (610)	24-7/8" (632)	32-1/4" (819)	pullout shelves	4.6 Cu.It.	N/A
HA24FB-4-**	Freezer	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	No shelves	4.6 cu.ft.	N/A
ПА24ГВ-4-***	rieezei	33	Indoor Freezer Drawers	24" (610)	24-7/8" (632)	32-1/4" (819)	NO Stielves	4.0 Cu.it.	N/A
HA24BB-4-**	Payaraga Cantar	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	2 full-extension wine shelves,	4.8 cu.ft.	62 cans and 16
ПМ24DD-4-""	Beverage Center	35	Indoor Beverage Center	24" (610)	24-7/8" (632)	32-1/4" (819)	1 full-extension shelf	4.0 CU.TT.	bottles of wine
11A 2 41A/D 4 **	\\/: D		ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	4.6.II automaion viina alkalius	40 ft	22
HA24WB-4-**	Wine Reserve	35	Indoor Wine Reserve	24" (610)	24-7/8" (632)	32-1/4" (819)	4 full-extension wine shelves	4.8 cu.ft.	32 bottles of wine

						all Dimensions - in. (i ut Dimensions - in. (					
	Model	Туре	Page	Description	Width	Depth	Height	Shelving	Ice Production (per 24 hours)	Storage Capacity	
	H50IMS-*	Ice Maker	37	15" Signature Series Clear Ice	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.	
	TISOIIWIS-	ice Makei	37	Maker, hinge reversible	15" (381)	23" (584)	34" (864)	IN/A	51103.	22103.	
	H50IMW*	Ice Maker	37	15" Signature Series Clear Ice Maker, panel-ready, hinge	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.	
	TISOIIVIV	ice iviakei	37	reversible	15" (381)	23" (584)	34" (864)	IN/A	Jilos.	22105.	
	H50IMS_AD*	50IMS-AD* Ice Maker	37	15" ADA Height Compliant Signature Series Clear Ice Maker,	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.	
	1130IIWI3-AD	ice Makei	37	hinge reversible	15" (381)	23" (584)	34" (864)	IV/A	51103.	22103.	
ERS	H50IMW-AD* Ice Maker	37	15" ADA Height Compliant Signature Series Clear Ice Maker,	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.		
ICE MAKERS	113011111 712	ree mane.	5,	panel-ready, hinge reversible	15" (381)	23" (584)	34" (864)	.,,,,	31.53.	22.03.	
Ž	H80CIMS-*	Ice Maker	37	15" Signature Series Cubelet Ice	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	- N/A	80lbs.	22lbs.	
פֿ	Hodelivis	ree Maker	3,	Maker, hinge reversible	15" (381)	23" (584)	34" (864)	14/71	00103.	22103.	
	H80CIMW*	Ice Maker	37	15" Signature Series Cubelet Ice Maker, panel-ready, hinge	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	80lbs.	22lbs.	
	1100CIIVIV	ice Maker	3,	reversible	15" (381)	23" (584)	34" (864)	14/74	00103.	22103.	
	H80CIMS-AD*	Ice Maker	37	15" Signature Series Cubelet Ice	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	80lbs.	22lbs.	
	1100CIIIIJ AD	ice maker	37	Maker, hinge reversible	15" (381)	23" (584)	34" (864)	14/7	50103.	22103.	
	H80CIMW-AD*	Ice Maker		15" Signature Series Cubelet Ice Maker, panel-ready, hinge	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	80lbs.	22lbs.	
	1100CIIVIW-AD"	ice iviakei	3/	reversible	15" (381)	23" (584)	34" (864)	IN/A	ouis.	22105.	

**ADA HEIGHT COMPLIANT SERIES** 

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HC24RO-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	HC24RO-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2	HC24TO-4-**	Full 6 Year		

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	N/A	Full 6 Year		
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	1,2	N/A	Full 6 Year	•	
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	5,6	N/A	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		and t
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		


Ambient Temp. Range °F(°C)	Water Temp. Range °F(°C)	Water Pressure	Power Requirements	Refrigerant	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	2	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (57g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (57g)	2	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	2	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	2	Same	Full 2 Year		

#### Door Style Guide:

1) Stainless Steel Solid Door 2) Fully Integrated Solid Door 3) Stainless Steel Glass Door 4) Fully Integrated Glass Door 5) Stainless Steel Drawers 6) Fully Integrated Drawers

## MODEL SPECIFICATION GUIDE

					Dimensions - in. t Dimensions - in				
Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
CR24R-1-2*	24" Column	40	All Refrigerator, hinge reversible	23-3/4" (603)	24" (610)	83-11/16" (2126)	3 adjustable height spill- proof shelves Deli Drawer Meat Drawer 12.8 cu.ft.		N/A
Cn24n-1-2	Refrigerator	40	All nelligerator, fillige reversible	24" (610)	24" (610)	84" (2134)	1 marinating pan Tip out Produce Bin 4 door bins	12.0 Cu.it.	IN/A
CR30R-1-2*	30" Column	40	All Refrigerator, hinge reversible	29-3/4" (756)	24" (610)	83-11/16" (2126)	3 adjustable height spill- proof shelves Deli Drawer Meat Drawer	16.6 cu.ft.	N/A
Choun-1-2" Re	Refrigerator	40	All Retrigerator, ninge reversible	30" (762)	24" (610)	84" (2134)	Meat Drawer 2 marinating pans Tip out Produce Bin 4 door bins	16.6 Cu.it.	IN/A
CR24F-1-2*	24" Column	40	All Freezer, hinge reversible	23-3/4" (603)	24" (610)	83-11/16" (2126)	3 adjustable height shelves 3 pull-out bins	12.6 cu ft	N/A
CR24F-1-2"	Freezer	40	, arricezei, illinge reversible	24" (610)	24" (610)	84" (2134)	4 door bins	12.6 cu.ft.	N/A
CR24W-1-2*	24" Wine Reserve	41	Single zone wine reserve,	23-3/4" (603)	24" (610)	83-11/16" (2126)	12 full-extension wine	12.6 cu.ft.	94 750 mL bottles (99 Bottles if you
CR24W-1-2*	24 Wine Reserve	41	hinge reversible	24" (610)	24" (610)	84" (2134)	shelves including one convertible display shelf	12.6 Cu.ft.	double stack the display shelf)
			Dual zone wine reserve,	23-3/4" (603)	24" (610)	83-11/16" (2126)	10 full-extension wine		86 750 mL bottles (91 Bottles if you
CR24D-1-2*	24" Wine Reserve	"Wine Reserve 41	hinge reversible	24" (610)	24" (610)	84" (2134)	shelves including one convertible display shelf	12.2 cu.ft.	double stack the display shelf)



<sup>\*</sup> For all HP, HC, and HA models. To achieve 24" installation depth, install electrical connection in adjacent cabinetry. See spec sheets and installation instructions for install instructions.

<sup>\*</sup> HH24 models have a recessed plug for a true 18" depth

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
Main Compartment - 34°(1.1°) - 42°(5.6°) Deli Drawer - 32°(0°) - 37°(2.8°) Meat/Fish Drawer - 32°(0°) - 37°(2.8°) Tip out Produce Bin - 32°(0°) - 37°(2.8°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White roll-on theater lighting	4000K	1,2	N/A	Full 6 Year		
Main Compartment - 34°(1.1°) - 42°(5.6°) Deli Drawer - 32°(0°) - 37°(2.8°) Meat/Fish Drawer - 32°(0°) - 37°(2.8°) Tip out Produce Bin - 32°(0°) - 37°(2.8°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White roll-on theater lighting	4000K	1,2	N/A	Full 6 Year		
-10°(-23.3°) - 10°(-12.2°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White roll-on theater lighting	4000K	1,2	N/A	Full 6 Year		
40°(4.4°) - 68°(20°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White and blue roll-on theater lighting including Sabbath Mode	4000K	1,2,3,4	N/A	Full 6 Year		
Upper Zone - 40°(4.4°) - 68°(20°) Lower Zone - 40°(4.4°) - 68°(20°)"	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White and blue roll-on theater lighting including Sabbath Mode	4000K	1,2,3,4	N/A	Full 6 Year		

Door Style Guide:

1) Stainless Steel Solid Door 2) Fully Integrated Solid Door 3) Stainless Steel Glass Door 4) Fully Integrated Glass Door 5) Stainless Steel Drawers 6) Fully Integrated Drawers



8300 West Good Hope Road Milwaukee, WI 53223 phone 800.558.5592 web perlick.com





