



PERLICK RESIDENTIAL DESIGN GUIDE



WHAT MAKES IT A PERLICK	4
OUTDOOR REFRIGERATION	6
MARINE MATERIALS UPGRADE	8
ELEVATE YOUR HOME EXPERIENCE10	C
DUAL-ZONE REFRIGERATION	2
DELICIOUS DETAILS	4
SEAMLESS INTEGRATION	6
DON'T FORGET THE BEER	7
COMMITMENT TO SUSTAINABILITY	8
INDUSTRY'S BEST WARRANTY	9





Enjoy ice cold beverages, brewery-fresh draft beer, the perfectly chilled vintage, crisp fruits and vegetables bursting with flavor, and even chilled face cream – all made possible with Perlick's quality line of residential undercounter refrigeration.

As the leader in high quality commercial refrigeration and bar solutions for the world's finest restaurants, bars, stadiums, and entertainment venues, Perlick offers homeowners the opportunity to bring that same level of quality into the comfort of their own home with our line of luxury residential products that blend professional level performance with exquisite style and modern functionality.

GET INSPIRED. CHOOSE PERLICK.



HANDCRAFTED SINCE 1917	20
RAPIDCOOL REFRIGERATION	2
SIGNATURE SERIES	22
SIGNATURE SERIES MOBILE BARS AND MOBILE TAP	34
C-SERIES / ADA HEIGHT COMPLIANT	36
CE MAKERS	38
COLUMN REFRIGERATORS / FREEZERS / WINE RESERVES	40
DOOR STYLES AND ACCESSORIES	44
MODEL SPECIFICATION GUIDE	48

Industry's largest collection of ENERGY STAR™ Certified undercounter refrigeration



Food and beverages are brightly illuminated by choice of **Crisp White or Cool Blue adjustable LED lighting**



Sleek stainless steel interiors are not only beautiful to look at, but also provide a sanitary environment resistant to stains and odors



Two inch thick foamed-in-place Insulation provides industry leading protection against outside ambient and vibration



Industry-best 6 Year Parts and Labor Warranty on all undercounter refrigeration. 2 year Parts and Labor Warranty offered on all ice makers.



Digital controller with audible door alarm provides precision temperature control and readout



Industry Exclusive RapidCool™
Forced-Air Refrigeration System's
superior construction provides
ideal combination of energy
efficient operation and powerful
refrigeration performance ideal for
food and beverages

Stock and retrieve product with ease with adjustable **Full Extension Pullout Shelves** for all models – including refrigerators

RAPIDcoo<mark>l</mark> Forced-Ai

System





All models are available with stainless steel or fully integrated overlay panel-ready fronts. All doors are reversible, and stainless steel doors can be converted to overlay models with ease.





WHAT MAKES IT A PERLICK?

There is a reason that Perlick is regarded as the industry leader in undercounter refrigeration. Unmatched cooling performance is complemented by a bevy of thoughtful design details for convenience and beauty.



With over 125 models to choose from, Perlick boasts the largest portfolio of undercounter refrigeration UL-rated for outdoor use. Available in 15- and 24-inch configurations, Perlick refrigerators, beverage centers, wine reserves, beer dispensers, freezers, and ice makers are designed to take your outdoor entertaining space to the next level.

Perlick's patented Signature Series Dual-Zone models offer two independently-controlled temperature zones within a single 24" footprint to make the most of your available space. The Signature Series Shallow Depth collection of 18" depth refrigeration is perfect for balcony patios that require an appliance with a shallow depth.

See below to learn more about what makes Perlick outdoor models special.

our industry-exclusive

Martini Rack - perfect

for entertaining



Refrigerator Drawers

eliminating condensation

and extending product

life in high humidity

environments





Coastal areas are the perfect place for luxury outdoor kitchens, but when presented with the extreme conditions of these environments, salt and sand can take their toll on your outdoor refrigeration equipment. You asked, we listened. Perlick is happy to announce the availability of an all-new Perlick Armor^M Marine Materials Upgrade for our Signature Series equipment, providing optimal corrosion resistance for food and beverage storage safety. Designed for life in even the most extreme coastal conditions, it allows you to enjoy the ultimate in refrigeration wherever you find paradise.





PERLICK MARINE GRADE SIGNATURE SERIES UNDERCOUNTER MODELS

Components of Perlick Armor™

- Mix of all 316 and 304 stainless steel for optimal corrosion resistance food and beverage storage safety
- Upgraded 18-8 stainless steel and zinc plated fasteners ensure rust won't form in attachment zones
- E-coated condensers add durability to the refrigeration system in the most extreme conditions
- Available on all HP and HH Series residential models

Along with the standard Signature Series features:

- Robust 1000 BTU refrigeration system powered by Perlick's exclusive variable speed compressor provides industry-leading cooling capabilities and intuitive temperature control, which means the system will only run when it senses a temperature rise
- Superior construction provides ideal combination of energy efficient operation and powerful refrigeration performance ideal for food and beverage
- Front vented, RAPIDcool[™] forced air refrigeration system provides the most energy efficient cool down, up to 70% faster than leading competitors
- Illuminated by dual-color LED lighting, giving you the option of 6000K Crisp White or Cool Blue lighting with just the press of a button
- At 32" tall, the Shallow Depth collection is ADA height compliant for accessible design needs

^{*} Photos may vary from actual product.





PERLICK MOBILE BAR MODELS

- Homeowners have the ultimate in design flexibility with the option of either the Tobin Ellis designed Limited Edition or the Signature Series Mobile Bars for the look that matches their home's design aesthetic
- The Perlick Mobile Tap is versatile and flexible for dispensing beverages in venue spaces with two taps and a 24" refrigeration unit that can dispense Nitro coffee or wine, beer and wine, two varieties of wine, or two varieties of beer
- Easily move the bar anywhere inside or outside of your home for expanding your upscale home entertaining needs
- Available in 46", 70" with 2 drainboards, 70" with hand sink configurations, and 70" limited edition with custom finishes
- Features ample lower storage area for glasses, dry goods, canned goods, or beverages
- Bartender cockpit features bottle rail, insulated ice chest, and insulated bottle well



HC24RS4S-J0-SLFLT Mobile Tap Beer Dispensers



TWO TEMPERATURES. ONE 24" FOOTPRINT. DUAL-ZONE REFRIGERATION

Perlick's full line of dual-zone refrigeration boasts two independently controlled temperature zones, serving double duty for the storage and service of your favorite foods and beverages within the same 24" footprint.

Powered by Perlick's exclusive RAPIDcool forced-air refrigeration system for exceptional cooling performance and sleek, stainless steel interiors for beauty and durability, Signature Series Dual-Zone units are built with form and function in mind. Indoor and UL-approved outdoor freezer/refrigerator drawer, refrigerator/wine reserve, and wine reserve/wine reserve models are available.







BEHOLD THE DELICIOUS DETAILS OF OUR COLUMN REFRIGERATORS, FREEZERS, AND WINE RESERVES

Our 24" and 30" refrigerators feature Perlick's **patented QuatroCool™ cooling system**, offering four independently controlled temperature zones for deli, meat/fish, produce, and beverages. Our **tip out produce bin** features proven food preservation technology that keeps greens fresher and crisper, longer. **Advanced electronic monitoring of humidity levels** adds moisture back into the compartment, while our filtration system removes the gases emitted by fruits and vegetables.

Our freezers offer a commercial-grade, stainless-steel interior, **full-extension open drawer bins,** and **vibrant LED lighting**. It incorporates our quiet, powerful, **frost-free cooling** that has made us the choice of fine commercial venues for more than 100 years. Pair your freezer with the 24" or 30" column refrigerator for the ultimate fresh and frozen food preservation system.

Our 24" Column Single- and Dual-Zone Wine Reserves feature vibration-resistant soft-coat glide out shelves and advanced humidity, air filtration, and temperature control. Vibrant blue or white LED roll-on theatre lighting adjusts for display or storage, and emits no UV light to protect against oxidation and degradation. bronze tinted, UV resistant glass is Low-E and argon filled, protecting from light exposure which can cause oxidation in wine and degrade it over time. Advanced technology maintains humidity levels to preserve corks and prevent oxidation.

Quatrocopt

Perlick QuatroCool™ cooling system keeps food fresh for longer in 4 zones

- Main compartment
- Deli drawer
- Meat and fish drawer
- Tip out produce bin



quick reference / model info







INDUSTRY-BEST 6-YEAR WARRANTY

At Perlick we don't just "walk the walk." We have so much confidence in our products we upped our 3-Year Warranty to a FULL 6 Years – another industry exclusive.

series





SINCE 1917

CRAFTSMANSHIP IS IN OUR DNA

We're a family-owned company, spanning 100+ years and five generations of Perlick family members who are dedicated to providing the industry's highest quality commercial and residential refrigeration. Every Perlick refrigerator is built to exacting standards to meet strict commercial regulations, which means you can be confident that your Perlick is built to last under even the heaviest usage.

We've mastered the art of balancing innovation and craftsmanship. You can trust Perlick to provide precision temperature control and build every unit with the finest features and materials.








SUPERIOR TARE !


THE MOST INNOVATIVE REFRIGERATION SYSTEM IN THE INDUSTRY

$RAPIDcool^{m}$

Perlick has refrigeration down to a science. With a century's worth of experience in designing, engineering, and manufacturing bar and beverage refrigeration for the commercial market, we've mastered the art of building cutting-edge refrigeration systems that balance power and precision. All Perlick models boast RAPIDcool™ forced-air refrigeration, providing the industry's most energy efficient cooling with up to 70% faster cooling speeds than leading competitors. Read on to compare competitor refrigeration systems.

PERLICK RAPIDCOOL™ FORCED-AIR REFRIGERATION









Air is blown with a powerful fan through thousands of aluminum fins, providing superior cooling with 7x the cooling surface compared to cold plate models.

COMPETITOR COLD PLATE REFRIGERATION






Air is blown over a thin aluminum sheet known as a cold plate.

MEET THE SIGNATURE SERIES

Our flagship collection of undercounter refrigeration, the Perlick Signature Series, comes in a variety of sizes and styles to fit any space and storage need. It's the crème de la crème of undercounter refrigeration, and every Signature Series model is available for indoor or outdoor use.





PERLICK SIGNATURE SERIES UNDERCOUNTER REFRIGERATION MODELS

- Available in 15" and 24" models, as well as the exclusive Signature Series Shallow Depth models which feature an 18" depth
- Robust 1000 BTU refrigeration system powered by Perlick's exclusive variable speed compressor provides industry-leading cooling capabilities and intuitive temperature control which means the system will only run when it senses a temperature rise
- Front vented, RAPIDcool™ forced air refrigeration system provides the most energy efficient cool down, up to 70% faster than leading competitors
- State of the art digital temperature control with audible door alarm in all models
- Illuminated by dual-color LED lighting, giving you the option of 6000K Crisp White or Cool Blue lighting with just the press of a button

- Stainless steel interiors and exteriors for long life durability and easy cleaning
- All Signature Series products are available as indoor or UL-rated outdoor models
- Industry-exclusive Shallow Depth undercounter refrigeration that measures just 18" deep
- Measuring 32" tall, the Shallow Depth collection is ADA height compliant for accessible design needs



(Top: Left to right) 15" Signature Series Refrigerator, 24" Signature Series Drawers (Bottom right) 18" Signature Series Shallow Depth Undercounter Wine Reserves with wood overlay



SIGNATURE SERIES REFRIGERATORS

Perlick proudly offers the industry's widest selection of undercounter refrigerators, making it easier than ever to add point-of-use refrigeration to anywhere inside – or outside – the home. Stainless steel interiors and energy efficient operation makes Perlick the perfect choice for all of your favorite foods and beverages.

FOOD SAFETY



Perlick's exclusive **RAPIDcool™ forced-air refrigeration technology** provides the industry's most energy efficient cool down using less energy while cooling up to 70% faster than leading competitors.

THE BEAUTY OF STAINLESS



Perlick's sleek **stainless steel interiors** are easy to clean and resistant to odors, stains, and mold – it's what the professionals demand in their kitchens.

UNMATCHED SHELVING



Perlick's exclusive **full extension shelves** pull completely out of
the cabinet to make stocking and
retrieving product easy. Stainless steel
ball bearing glides provide smooth
movement in and out of the cabinet
even when fully stocked.

For complete model number listing, product specs, and quick reference, see page 50.

15" SIGNATURE SERIES REFRIGERATORS



24" SIGNATURE SERIES REFRIGERATORS (Single Zone Models)



24" SIGNATURE SERIES REFRIGERATORS (Dual Zone Models)



SIGNATURE SERIES SHALLOW DEPTH REFRIGERATORS (ADA height compliant)





SIGNATURE SERIES FREEZERS

When it comes to stylish freezer solutions, Perlick offers it all with freezers that are energy efficient, powerful, and provide industry-leading drawer capacity. All Perlick freezers – including the Signature Series Dual-Zone Freezer/Refrigerator Drawers – feature forced-air refrigeration and maintenance-free defrosting.

MAINTENANCE-FREE



Maintenance-free defrosting makes owning and maintaining Perlick freezers simple.

THE BEAUTY OF STAINLESS



Perlick's sleek stainless steel interiors are easy to clean and resistant to odors, stains, and mold. It's what the professionals demand in their kitchens and it's available to you, too.

PRECISION AND CONTROL



Perlick's state of the art digital controller provides precise temperature readout and adjusts automatically for temperature consistency, and an audible door alarm warns user if door is held open.


mobile bar/ mobile tap

c-series

ice makers



24" SIGNATURE SERIES FREEZERS (Dual-Zone Models)





STACKING KITS

RS-SK-15L/R / RS-SK-24L/R / RS-SK-18-L/R

Mix and match Perlick undercounter refrigeration to create custom modular refrigeration for anywhere inside or outside the home. Choose from refrigerators, freezers, beverage centers and wine reserves, as well as our dual-zone refrigeration, to create flexible storage for your specific refrigeration needs.

27



SIGNATURE SERIES BEVERAGE CENTERS

The elegance of a wine reserve meets the practicality of a refrigerator with Perlick's full line of beverage centers. With storage for up to 16 bottles of your favorite wine and a variety of canned and bottled beverages below, the Perlick beverage center keeps refreshments cold anywhere inside – or outside – the home.

FOR SHOW AND STRENGTH



Glass doors feature Low E, Argon filled dual-pane thermal glass with UV resistant coating to limit energy transfer through glass and add increased strength indoors or out.

RAPIDCOOL TECHNOLOGY



All models feature Perlick's exclusive RAPIDcool™ forced-air refrigeration system for the industry's most energy efficient cool down using less energy while cooling up to 70% faster than leading competitors.

UNMATCHED SHELVING



Perlick's exclusive **full extension shelves** pull completely out of the cabinet to make stocking and retrieving beverages easy. Our stainless steel ball bearing glides provide smooth movement in and out of cabinet even when fully stocked.

mobile bar/ mobile tap

c-series

15" SIGNATURE SERIES BEVERAGE CENTERS



24" SIGNATURE SERIES BEVERAGE CENTERS



SIGNATURE SERIES SHALLOW DEPTH BEVERAGE CENTERS (ADA height compliant)



SHELVING AND COMPARTMENT ACCESSORIES



ice makers



SIGNATURE SERIES WINE RESERVES

Whether you are a wine novice or a collector of the finest vintages, Perlick has the answer for the storage and service of your prized bottles of wine. Store up to 45 bottles of your favorite wine in the Perlick patented 24" Signature Series Wine Reserve, or keep a small collection of 20 bottles on hand for gatherings in our 15" Signature Series Wine Reserve.

FOR SHOW AND STRENGTH



Glass doors feature Low E, Argon filled dual-pane thermal glass with UV resistant coating to limit energy transfer through glass and add increased strength indoors or out.

RAPIDCOOL TECHNOLOGY



All models feature Perlick's exclusive RAPIDcool™ forced-air refrigeration system for the industry's most energy efficient cool down using less energy while cooling up to 70% faster than leading competitors.

UNMATCHED SHELVING



Perlick's exclusive full extension flex shelves pull completely out of the cabinet to make stocking and retrieving wine bottles easy. Stainless steel ball bearing glides provide smooth movement in and out of cabinet even when fully stocked.

mobile bar/ mobile tap

c-series

ice makers

Indicates

Qualified

Energy Star™

24" SIGNATURE SERIES WINE RESERVES (Single Zone Models)



24" SIGNATURE SERIES WINE RESERVES (Dual Zone Models)



SIGNATURE SERIES SHALLOW DEPTH WINE RESERVES (ADA height compliant)



31

accessories



SIGNATURE SERIES BEER DISPENSERS

Perlick is the brand professionals trust to dispense beer at their bars, restaurants and stadiums around the world. We've taken the same, innovative technology we've been developing since prohibition to bring you the industry's best residential beer dispensers.

POWER AND CONTROL



Perlick patented dispensing technology, including the **Perlick 650SS Stainless Steel Flow Control Faucet,** works in tandem with Perlick's powerful refrigeration system to serve the perfect beer, pour after pour.

RAPIDCOOL TECHNOLOGY



All models feature Perlick's exclusive RAPIDcool™ forced-air refrigeration system for unmatched cooling capabilities and temperature control in the cabinet and up through the tower.

UNMATCHED CONSTRUCTION



Two-inch thick foamed in place Insulation provides industry-leading protection against outside ambient. **Stainless steel interiors** are heavy duty enough to stand up to kegs and are sanitary for easy cleaning.

AVAILABLE MODELS

For complete model number listing, product specs, and quick reference, see page 50.





15" SIGNATURE SERIES BEER DISPENSERS



24" SIGNATURE SERIES BEER DISPENSERS (Single Faucet Models)



24" SIGNATURE SERIES BEER DISPENSERS (Two Faucet Models)



BEER DISPENSER ACCESSORIES



Beer Dispenser Cleaning Kit (Includes pump, sanitizer, and tools to clean lines)



BLC32 / BLC4 Sanitizer for Beer Dispensers (32 oz / 4 oz)



308-40C Beer Faucet Lock (Compatible with 630SS Faucets)



67141-1 Perlick Beer Faucet Handle



63055 Forward-Sealing Faucet



67782 Drip Pan for Beer Dispensers



MEET THE PERLICK MOBILE SERIES

Perlick offers a full line of mobile products made for when a centralized bar isn't an option. We have the products you need to operate efficiently despite the labor shortage, all designed and built with the quality you can only expect from Perlick.

PERLICK MOBILE BARS AND MOBILE TAP

- Homeowners have the ultimate in design flexibility with the option of either the Signature Series Limited Edition, Signature Series Mobile Bars, or the Perlick Mobile Tap for the look that complements their home's aesthetic
- Easily move the bars anywhere inside or outside of your home for expanding your upscale home entertaining needs
- Available in 46", 70" with 2 drainboards, 70" with hand sink configurations, and 70" limited edition with custom finishes
- Features ample lower storage area for glasses, dry goods, canned goods, or beverages
- Bartender cockpit features bottle rail, insulated ice chest, and insulated bottle well
- Perlick Mobile Tap units include a two-faucet draft arm and a 24" refrigeration unit that can dispense beer, wine, coffee, and nitro infused beverages



PERLICK MOBILE TAP



HC24RS4S-J0-SLFLT Mobile Tap Beer Dispensers



HC24RS4S-GO-SLFLT Mobile Tap Nitro and Coffee or Wine inside view



TOBIN ELLIS SIGNATURE SERIES LIMITED EDITION MOBILE BAR





TOBIN ELLIS SIGNATURE SERIES MOBILE BARS



RMB-002 70" Mobile Bar with drainboard and sink configuration



RMB-003 70" Mobile Bar with 2 drainboards



RMB-004 46" Mobile Bar

C-SERIES / ADA HEIGHT COMPLIANT SERIES

Inspired by our commercial offering, the C-Series includes a thoughtful selection of features in a 24" width. Select outdoor models available.

The industry's widest selection of ADA height compliant undercounter refrigeration features superior refrigeration and stainless steel interiors. It's a designer favorite for both residential and light commercial projects that require ADA compatibility.





C-SERIES AND ADA HEIGHT COMPLIANT MODELS

- Robust 800 BTU refrigeration system featuring Perlick's exclusive front vented, RAPIDcool™ forced air refrigeration system
- Rated for beverage and open food storage
- Digital temperature control with audible door alarm in all models
- Stainless steel interiors

- Full extension smooth glide shelving eliminates reaching into the back of the cabinet
- Industry-best 6 Year Full Parts and Labor Warranty
- ADA Series units feature 32" height and ADA height compliant product design for accessible and aging-in-place designs



ADA Compliant 32" Height

^{*} Photos may vary from actual product.

C-SERIES PRODUCTS


AVAILABLE MODELS

For complete model number listing, product specs, and quick reference, see page 52.





24" C-SERIES REFRIGERATORS










- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*
- 4 Stainless Steel Glass Doors - 4 Fully Integrated Glass Doors*
- 5 Stainless Steel Drawers - 6 Fully Integrated Drawers *

24" C-SERIES BEVERAGE CENTERS












- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*
- 4 Stainless Steel Glass Doors - 4 Fully Integrated Glass Doors*

24" C-SERIES WINE RESERVES








- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*
- 4 Stainless Steel Glass Doors - 4 Fully Integrated Glass Doors*

24" C-SERIES BEER DISPENSERS (Single and Two Faucet Models)











CAPACITY: Two 1/6 barrels

OR



One 1/4 barrel



One slim 1/4 barrel

- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*
- 1 Stainless Steel Solid Door - 2 Fully Integrated Solid Doors*

ADA HEIGHT COMPLIANT SERIES PRODUCTS


AVAILABLE MODELS

For complete model number listing, product specs, and quick reference, see page 52.





24" ADA HEIGHT COMPLIANT SERIES REFRIGERATORS





- 1 Stainless Steel Solid Door - 2 Fully Integrated Solid Door *




- 4 Stainless Steel Glass Door - 4 Fully Integrated Glass Door *



- 5 Stainless Steel Drawers - 6 Fully Integrated Drawers *

24" ADA HEIGHT COMPLIANT SERIES FREEZERS






- 1 Stainless Steel Solid Door - 2 Fully Integrated Solid Door *



- 5 Stainless Steel Drawers - 6 Fully Integrated Drawers *

24" ADA HEIGHT COMPLIANT SERIES BEVERAGE CENTERS






- 1 Stainless Steel Solid Door - 2 Fully Integrated Solid Doors*



- 4 Stainless Steel Glass Doors - 4 Fully Integrated Glass Doors*

24" ADA HEIGHT COMPLIANT SERIES WINE RESERVES






- 1 Stainless Steel Solid Door - 2 Fully Integrated Solid Doors*



- 4 Stainless Steel Glass Doors
- 4 Fully Integrated Glass Doors*

ON THE ROCKS WITH ICE MAKERS

Your beverage is only as good as the ice that keeps it cold. Trust Perlick to produce pure ice that lets your cocktails and other beverages shine. Available in clear and cubelet ice styles in both standard and ADA height compliant heights, Perlick indoor/outdoor undercounter ice makers are a must for any well-appointed entertainment space.






CLEAR ICE MAKERS

ICE SHAPE

Rounded, top hat shape

ICE TYPE

Hard, clear, slow melting ice



ADVANTAGES

This ice maker produces solid cubes, resulting in clear, slow melting ice that won't dilute your drink as fast as regular ice. The unique shape of each cube isn't just aesthetically pleasing, it also prevents the ice from clumping.

CUBELET ICE MAKERS

ICE SHAPE

Pellet/nugget shape

ICE TYPE

Soft, compacted ice



ADVANTAGES

This popular chewable ice absorbs the flavors of the beverages poured over it. It's easy to crunch and is perfect for a wide variety drinks. Cubelet ice is also great for serving specialty foods like seafood

AVAILABLE MODELS

For complete model number listing, product specs, and quick reference, see page 52.



15" SIGNATURE SERIES ICE MAKERS (Clear or Cubelet)



33-1/2" 22-9/16"



S - Stainless Steel Solid Door - Fully Integrated Solid Door *


ADA HEIGHT COMPLIANT SERIES ICE MAKERS (Clear or Cubelet)



- Stainless Steel Solid Door W - Fully Integrated Solid Door *

ALL THE DELICIOUS DETAILS OF COLUMN REFRIGERATION

Perlick's line of column appliances includes 24" and 30" column refrigerators, 24" column freezers, and single- and dual-zone 24" column wine reserves.





COLUMN REFRIGERATOR MODELS

- 24" and 30" column refrigerators feature Perlick's exclusive QuatroCool™ Technology, ensuring precision temperature and humidity control in 4 different regions offering dual chamber air filtration throughout.
- Touch screen controls are customizable to one degree increments in all our columns. Enjoy access to smart settings for a variety of fresh and frozen foods, or store your wines at their ideal temperatures. Access settings for lighting, Sabbath mode, and more with a single touch.
- 24" and 30" column refrigerators feature frameless spill proof shelving, tiered deli drawers, tip out produce bins, and slide in stainless steel pans for marinating or storing premade appetizers and sous vide packets.
- Column refrigerators and freezers are brightly illuminated by white roll-on theatre lighting, while wine columns include the option of white and blue roll-on theatre lighting.
- · Wine columns are available in an industryexclusive single temperature model for maximum capacity or a dual-zone model to store red and white wine at their recommended temperatures.
- Wine columns feature a convertible display shelf to showcase 6 prized wine bottles with additional storage for 4 dessert (half sized) wine bottles when angled up. The shelf easily lays flat to store 11 bottles without additional parts and pieces.

- Perlick's advanced technology monitors humidity levels in our wine reserve and, if necessary, pushes additional moisture into the compartment to maintain 60-70% relative humidity and preserve corks and prevent oxidation. Soft coat full extension shelves gently cradle each bottle and protect them from vibration.
- All columns have stainless steel interiors and exteriors for long life durability, easy cleaning, and sanitation. Manufactured ready to accept custom or stainless steel panels.



30" Column Refrigerator, 24" Column Freezer shown






COLUMN REFRIGERATORS / FREEZER

AVAILABLE MODELS

For complete model number listing, product specs, and quick reference, see page 54.


24" COLUMN REFRIGERATOR





- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*


30" COLUMN REFRIGERATOR





- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*

24" COLUMN FREEZER





- 1 Stainless Steel Solid Door
- 2 Fully Integrated Solid Doors*






WINE COLUMN REFRIGERATORS

AVAILABLE MODELS

For complete model number listing, product specs, and quick reference, see page 54.


24" COLUMN DUAL-ZONE WINE RESERVE






- 4 Stainless Steel Glass Doors
- 4 Fully Integrated Glass Doors*

24" COLUMN SINGLE-ZONE WINE RESERVE





- 4 Stainless Steel Glass Doors
- 4 Fully Integrated Glass Doors*



SHELVING AND COMPARTMENT ACCESSORIES



RS-15-15R Shelf, HP15 Refrigerator




RS-15-15W Shelf, HP15 Wine



RS-24-24R Shelf, 24" Refrigerator



RS-24-24W Shelf, 24" Wine



RS-24-24M Shelf, 24" Martini Rack



RS-24-24D Shelf, 24" Divider



RS-18-18R Shelf, HH24 Refrigerator



RS-18-18W Shelf, HH24 Wine



RS-24-24WD Shelf, 24" Dual-Zone Wine



65629 Bottle Display Rack



67115-15/67115-24 15" and 24" Wood Wine Faces



67964 Stainless Steel Drawer Dividers



DRAWER PAN TRAY

Organize fresh and prepared ingredients with Perlick's drawer pan tray. A stainless steel tray holds three stainless steel prep pans that come with stain resistant translucent covers. Available for 24" Signature Series, 24" C-Series and 24" ADA Height Compliant Series Refrigerator Drawer models.

MISC. HARDWARE KITS AND ICE MAKER ACCESSORIES



(L) Factory Installed Door/Drawer Lock



67439 L/R Door Hinge Kit



RS-TK-HA24-6 / RS-TK-HH24 6" Toe Kick for ADA (RS-TK-HA24-6) and Shallow Depth (RS-TK-HH24)



66736-15/66736 15"/24" Caster Kits



63802A Drain Pump for H50 Clear Ice Makers



68117-1 Optional Stainless Steel Toe Kick for H50 Ice Makers



STACKING KITS

RS-SK-15L/R / RS-SK-24L/R / RS-SK-18-L/R

Mix and match Perlick undercounter refrigeration to create custom modular refrigeration anywhere inside or outside the home. Choose from refrigerators, freezers, beverage centers and wine reserves, as well as our new dual-zone refrigeration, to create flexible storage for your specific refrigeration needs.

BEER DISPENSER ACCESSORIES



63797 Beer Dispenser Cleaning Kit (Includes pump, sanitizer, and tools to clean lines)



BLC32 / BLC4 Sanitizer for Beer Dispensers (32 oz / 4 oz)



308-40C Beer Faucet Lock (Compatible with 630SS Faucets)



67141-1 Perlick Beer Faucet Handle



630SS 630SS Forward -Sealing Faucet



67782 Drip Pan for Beer Dispensers



LOW PROFILE "S" SERIES KEG COUPLER 40030S

Enjoy a wider variety of kegged beer with the Perlick Low Profile "S" Series Keg Coupler. This coupler fits "S" system kegs, which are used by brands such as **Heineken**, **Newcastle**, **Stella Artois**, **Amstel**, **Bemish**, **Murphy's**, **Strongbow**, and **Hofbrau** (just to name a few). This coupler can be used on all Perlick beer dispenser models and is exclusive to Perlick.

DOOR STYLES FOR EVERY DESIGN













- Perlick offers a variety of door styles to complement any design. The numbered image above coordinates with the 'Door Styles Available' column in the Quick Reference chart. All doors are available hinged left or right, and fully integrated overlay panels come ready to accept a custom panel from your millworker to create a seamless look with cabinetry.
- Industry-exclusive convertible door design allows all doors to be converted to overlay from stainless steel
- All doors are field reversible with accessory hinge kit (excluding ice maker models)
- Template available to create a matching overlay toe kick





					Overall Dimensions - in. (mm) / Cutout Dimensions - in. (mm)					
	Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
	HP15RS-4-**	Refrigerator	23	15" Signature Series	14-7/8" (378)	24" (610)	34-1/4" (870)	2 full-extension	2.8 cu.ft.	66 cans
	TIF TORS-4-	Remgerator	23	Indoor Refrigerator	15" (381)	24-7/8" (632)	34-1/2" (876)	pullout shelves	2.6 Cu.it.	oo cans
	⊔D15D5 // **	Pofrigorator	23	15" Signature Series	14-7/8" (378)	24" (610)	34-1/4" (870)	No shelves	2.9 cu ft	18 cans
	HP15RS-4-**	Refrigerator	23	Indoor Refrigerator Drawers	15" (381)	24-7/8" (632)	34-1/2" (876)	NO Stietves	2.8 cu.ft.	(Top Drawer)
	HP24RS-4-**	Defrigerator	23	24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension	5.2 cu ft	144 cans
	пР24К3-4-***	Refrigerator	23	Indoor Refrigerator	24" (610)	24" (610)	34-1/2" (876)	pullout shelves	5.2 cu.ft.	144 Calls
	HP24RS-4-**	Dofrigorator	23	24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	N/A
	пР24К3-4-***	Refrigerator	23	Indoor Refrigerator Drawers	24" (610)	24" (610)	34-1/2" (876)	NO STIEIVES	5.2 Cu.It.	IN/A
	LULD ADS 4 **	Defilmenten	22	18" Signature Shallow Depth	23-7/8" (606)	18" (457)	32" (813)	2 full-extension	2.1 6	60
	HH24RS-4-**	Refrigerator	23	Indoor Refrigerator (ADA height compliant)	24" (610)	18" (457)	32-1/4" (819)	pullout shelves	3.1 cu.ft.	68 cans
	HP24ZS-4-**	Refrigerator/	25	24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	E O cu ft	42 cans
	HP24Z5-4-**	Freezer	25	Indoor Dual-Zone Refrigerator /Freezer Drawers	24" (610)	24" (610)	34-1/2" (876)	No shelves	5.0 cu.ft.	(Ref. Drawer)
	LIDDACS 4 **	Refrigerator/	20	24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension wine shelves,	5 0 m ft	41 cans and
	HP24CS-4-**	Wine Reserve	29	Indoor Dual-Zone Refrigerator/ Wine Reserve	24" (610)	24" (610)	34-1/2" (876)	1 full-extension shelf	5.0 cu.ft.	14 bottles of wine
		_		24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension		
	HP24FS-4-**	Freezer	25	Indoor Freezer	24" (610)	24" (610)	34-1/2" (876)	pullout shelves	5.2 cu.ft.	N/A
		_		24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)		6	
	HP24FS-4-**	Freezer	25	Indoor Freezer Drawers	24" (610)	24" (610)	34-1/2" (876)	No shelves	5.0 cu.ft.	N/A
		Beverage		15" Signature Series	14-7/8" (378)	24" (610)	34-1/4" (870)	2 full-extension wine shelves,		30 cans and
ES	HP15BS-4-**	Center	27	Indoor Beverage Center	15" (381)	24-7/8" (632)	34-1/2" (876)	1 full-extension shelf	2.8 cu.ft.	8 bottles of wine
ER.		Beverage		24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension wine shelves,		62 cans and
у) Ш	HP24BS-4-**	Center	27	Beverage Center	24" (610)	24" (610)	34-1/2" (876)	1 full-extension shelf	5.2 cu.ft.	16 bottles of wine
Ę		Beverage		18" Signature Shallow Depth	23-7/8" (606)	18" (457)	32" (813)	2 full-extension wine shelves,		41 cans and
\ <u>\</u>	HH24BS-4-**	Center	27	Indoor Beverage Center (ADA height compliant)	24" (610)	18" (457)	32-1/4" (819)	1 full-extension shelf	3.1 cu.ft.	10 bottles of wine
SIGNATURE SERIES				15" Signature Series	14-7/8" (378)	24" (610)	34-1/4" (870)	5 full-extension		
U)	HP15WS-4-**	Wine Reserve	29	Indoor Wine Reserve	15" (381)	24-7/8" (632)	34-1/2" (876)	wine shelves	2.8 cu.ft.	20 bottles of wine
				24" Signature Series Indoor	23-7/8" (606)	24" (610)	34-1/4" (870)	5 full-extension		
	HP24WS-4-**	Wine Reserve	29	Single-Zone Wine Reserve	24" (610)	24" (610)	34-1/2" (876)	wine shelves	5.2 cu.ft.	45 bottles of wine
				24" Signature Series Indoor	23-7/8" (606)	24" (610)	34-1/4" (870)	2 (Upper) + 2-1/2 (Lower)		
	HP24DS-4-**	Wine Reserve	29	Dual-Zone Wine Reserve	24" (610)	24" (610)	34-1/2" (876)	full-extension wine shelves	5.2 cu.ft.	32 bottles of wine
				18" Signature Series Indoor	23-7/8" (606)	18" (457)	32" (813)	4 full-extension		
	HH24WS-4-**	Wine Reserve	29	Shallow Depth Wine Reserve (ADA height compliant)	24" (610)	18" (457)	32-1/4" (819)	wine shelves	3.1 cu.ft.	20 bottles of wine
		Beer		15" Signature Series	14-7/8" (378)	24" (610)	34-1/4" (870)			
	HP15TS-4-**-1*	Dispenser	31	Indoor Beer Dispenser	15" (381)	24-7/8" (632)	34-1/2" (876)	No shelves	2.8 cu.ft.	(1) 1/6 barrel
		Beer		15" Signature Series	14-7/8" (606)	24" (610)	34-1/4" (870)			
	HP15TS-4-**-1A*	Dispenser	31	Indoor Adara Beer Dispenser	15" (610)	24-7/8" (632)	34-1/2" (876)	No shelves	2.8 cu.ft.	(1) 1/6 barrel
		Beer		24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)			(2) 1/6 barrels or
	HP24TS-4-**-1*	Dispenser	31	Indoor Beer Dispenser - Single Tap	24" (610)	24" (610)	34-1/2" (876)	No shelves	5.2 cu.ft.	(1) 1/4 slim or standard barrel
		Beer		24" Signature Series 23 Indoor Beer Dispenser - Two Tap	23-7/8" (606)	24" (610)	34-1/4" (870)			(2) 1/6 barrels or
	HP24TS-4-**-2*	Dispenser	31		24" (610)	24" (610)	34-1/2" (876)	No shelves	5.2 cu.ft.	(1) 1/4 slim or standard barrel
		Beer			23-7/8" (606)	24" (610)	34-1/4" (870)			(2) 1/6 barrels or
	HP24TS-4-**-1A*	Dispenser	31	Indoor Adara Beer Dispenser - Single Tap	24" (610)	24" (610)	34-1/2" (876)	No shelves	5.2 cu.ft.	(1) 1/4 slim or standard barrel
		Roor		24" Signature Series	23-7/8" (606)	24" (610)	34-1/4" (870)			(2) 1/6 barrels or
	HP24TS-4-**-2A*	Beer Dispenser	31	Indoor Adara Beer Dispenser - Two Tap	24" (610)	24" (610)	34-1/2" (876)	No shelves	5.2 cu.ft.	(1) 1/4 slim or standard barrel
					,	,	(=. =/			

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Marine Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	Cool blue or crisp white	6000K	1,2,3,4	HP15R0-4-**	HP15RM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	White LED task lighting	6000K	5,6	HP15R0-4-**	HP15RM-4-**	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HP24RO-4-**	HP24RM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	HP24RO-4-**	HP24RM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HH24RO-4-**	HH24RM-4-**	Full 6 Year	•	-d?
Lower (-10°-10°) / Upper 30°-42°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	HP24ZO-4-**	HP24ZM-4-**	Full 6 Year	•	
Lower (33° - 42°F) / Upper (45° - 65°F)	115 VAC/60 Hz/1 Ph	R600a (57g)	Cool blue or crisp white	6000K	1,2,3,4	HP24CO-4-**	HP24CM-4-**	Full 6 Year	•	
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	1,2,5,6	HP24FO-4-**	HP24FM-4-**	Full 6 Year		
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	5,6	HP24FO-4-**	HP24FM-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	Cool blue or crisp white	6000K	1,2,3,4,5,6	HP15BO-4-**	HP15BM-4-**	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HP24BO-4-**	HP24BM-4-**	Full 6 Year		and?
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HH24BO-4-**	HH24BM-4-**	Full 6 Year	•	
45° (7.2°) - 65° (18.33°)	115 VAC/60 Hz/1 Ph	R600a (38g)	Cool blue or crisp white	6000K	1,2,3,4	HP15WO-4-**	HP15WM-4-**	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HP24WO-4-**	HP24WM-4-**	Full 6 Year		
45°/ 51° (7.2°/ 10.5°) - 55°/ 65° (12.7°/ 18.3°)	115 VAC/60 Hz/1 Ph	R600a (45g)	Cool blue or crisp white	6000K	1,2,3,4	HP24DO-4-**	HP24DM-4-**	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HH24WO-4-**	HH24WM-4-**	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	White LED task lighting	6000K	1,2	HP15TO-4-**-1*	HP15TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (38g)	White LED task lighting	6000K	1,2	N/A	N/A	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-1*	HP24TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-2*	HP24TM-4-**-2*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	N/A	N/A	Full 6 Year	•	
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	N/A	N/A	Full 6 Year	•	

DOOR STYLE GUIDE:

¹⁾ Stainless Steel Solid Door 2) Fully Integrated Solid Door 3) Stainless Steel Glass Door 4) Fully Integrated Glass Door 5) Stainless Steel Drawers 6) Fully Integrated Drawers

					Overall Dimensions - in. (mm) / Cutout Dimensions - in. (mm)							
	Model	Type	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity		
	HC24RB-4-**	Refrigerator	34	24" C-Series Indoor Refrigerator	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension	5.2 cu.ft.	144 cans		
	HCZ4ND-4-***	Reirigerator	34	24 C-Series indoor kerrigerator	24" (610)	24" (610)	34-1/2" (876)	pullout shelves	5.2 Cu.it.	(Door Model)		
	HC24RB-4-** Re	Pofrigorator	or 34	24" C-Series Indoor	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	N/A		
S	TICZ4ND-4-	IC24RB-4-** Refrigerator		Refrigerator Drawers	24" (610)	24" (610)	34-1/2" (876)	NO STIETVES	J.2 Cu.it.	IN/A		
C-SERIES	HC24BB-4-**	Beverage		24" C-Series Indoor Beverage	23-7/8" (606)	24" (610)	34-1/4" (870)	2 full-extension wine shelves,	5.2 cu.ft.	62 cans and 16		
-SE	ncz4bb-4-***	Center	34	Center	24" (610)	24" (610)	34-1/2" (876)	1 full-extension shelf	5.2 Cu.it.	bottles of wine		
U	HC24WB-4-** Wine	34	24" C-Series Indoor Wine Reserve	23-7/8" (606)	24" (610)	34-1/4" (870)	5 full-extension wine shelves	5.2 cu.ft.	45 bottles of wine			
	TIC24WB-4-	Reserve	34	24 C-Series induor Wille Reserve	24" (610)	24" (610)	34-1/2" (876)	5 Iuli-exterision wille sileives	J.2 Cu.it.	43 Dotties of Wille		
	HC24TB-4-**	Beer	2/		23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels		
	1102410-4-***	Dispenser		Dispenser Single or Two Faucet		24" (610)	24" (610)	34-1/2" (876)	ino sileives	J.2 CU.II.	or (1) 1/4 slim or standard barrel	

						Dimensions - in Dimensions - ir				
	Model	Type	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
S	HA24RB-4-**	Refrigerator	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	2 full-extension	4.8 cu.ft.	108 cans
SERIES	TIAZ4ND-4-	Remgerator	33	Indoor Refrigerator	24" (610)	24-7/8" (632)	32-1/4" (819)	pullout shelves	4.6 Cu.it.	TOO Caris
SEI	HA24RB-4-**	Refrigerator	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	No shelves	4.8 cu.ft.	N/A
Z	TIAZ4ND-4-	Remigerator	33	Indoor Refrigerator Drawers	24" (610)	24-7/8" (632)	32-1/4" (819)	INO STIETVES	4.0 Cu.it.	N/A
COMPLIANT	HA24FB-4-**	Freezer	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	2 full-extension	4.8 cu.ft.	N/A
Δ Σ	ПА24ГВ-4-***	rieezei	33	Indoor Freezer	24" (610)	24-7/8" (632)	32-1/4" (819)	pullout shelves	4.6 Cu.II.	N/A
OS	HA24FB-4-**	Freezer	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	No shelves	4.6 cu.ft.	N/A
	ПА24ГВ-4-***	rieezei	33	Indoor Freezer Drawers	24" (610)	24-7/8" (632)	32-1/4" (819)	No stielves	4.0 Cu.it.	N/A
неібнт	HA24BB-4-**	Beverage	35	ADA Height Compliant	23-7/8" (606)	24" (610)	32" (813)	2 full-extension wine shelves,	4.8 cu.ft.	62 cans and 16
	11A2400-4-	Center	33	Indoor Beverage Center	24" (610)	24-7/8" (632)	32-1/4" (819)	1 full-extension shelf	4.6 Cu.it.	bottles of wine
ADA	HA24WB-4-**	Wine	25	35 ADA Height Compliant Indoor Wine Reserve	23-7/8" (606)	24" (610)	32" (813)	4 full-extension wine shelves	4.8 cu.ft.	22 bottles of wine
	ПМ24VVD-4-""	Wine Reserve	35		24" (610)	24-7/8" (632)	32-1/4" (819)	4 run-extension wine snerves	4.0 CU.TT.	. 32 bottles of wine

					Dimensions - in. t Dimensions - in.				
Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity
H50IMS-*	Ice Maker	37	15" Signature Series Clear Ice	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.
TISOIWIS-	ice waker	37	Maker, hinge reversible	15" (381)	23" (584)	34" (864)	IVA	51103.	22103.
H50IMW*	Ice Maker	37	15" Signature Series Clear Ice Maker, panel-ready, hinge	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	- N/A	51lbs.	22lbs.
TISOIIVIVV	ice wakei	37	reversible	15" (381)	23" (584)	34" (864)	IN/A	J HDS.	22103.
H50IMS-AD*	Ice Maker	37	15" ADA Height Compliant	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.
HOUINIO-AD"	ice waker	3/	gnature Series Clear Ice Maker, —— inge reversible	15" (381)	23" (584)	34" (864)	N/A	5 HDS.	ZZIDS.
H50IMW-AD*	Ice Maker	37	3	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	51lbs.	22lbs.
HOUINIW-AD"	ice waker	3/	panel-ready, hinge reversible	15" (381)	23" (584)	34" (864)	· N/A	5 HDS.	ZZIDS.
H80CIMS-*	Ice Maker	37	15" Signature Series Cubelet Ice	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	- N/A	80lbs.	22lbs.
H80CIM3-*	ice waker	3/	Maker, hinge reversible	15" (381)	23" (584)	34" (864)	- IN/A	8UIDS.	ZZIDS.
LIOOCIMANA		27	15" Signature Series Cubelet	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	NA	0011	2211
H80CIMW*	Ice Maker	37	Ice Maker, panel-ready, hinge reversible	15" (381)	23" (584)	34" (864)	N/A	80lbs.	22lbs.
LIOOCING ADX			15" ADA Height Compliant	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)	N/A	2011	2211
H80CIMS-AD*	Ice Maker	37	Signature Series Cubelet Ice Maker, hinge reversible	15" (381)	23" (584)	34" (864)	N/A	80lbs.	22lbs.
			15" ADA Height Compliant	14-7/8" (378)	22-9/16" (573)	33-1/2" (851)			
H80CIMW-AD*	Ice Maker	37	Signature Series Cubelet Ice Maker, panel-ready, hinge reversible	15" (381)	23" (584)	34" (864)	N/A	80lbs.	22lbs.

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	HC24RO-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	HC24RO-4-**	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2	HC24TO-4-**	Full 6 Year		


Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		and?
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	5,6	N/A	Full 6 Year		
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	1,2	N/A	Full 6 Year	•	
-10° (-23.3°) - 10° (-12.2°)	115 VAC/60 Hz/1 Ph	R600a (57g)	White LED task lighting	6000K	5,6	N/A	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		
45° (7.2°) - 65° (18.3°)	115 VAC/60 Hz/1 Ph	R600a (50g)	Cool blue or crisp white	6000K	1,2,3,4	N/A	Full 6 Year		

Ambient Temp. Range °F(°C)	Water Temp. Range °F(°C)	Water Pressure	Power Requirements	Refrigerant	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	2	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (57g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (57g)	2	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	2	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	1	Same	Full 2 Year		
45°(7.2°) - 100°(37.8°)	45°(7.2°) - 90°(32.2°)	7-113 psig	115 VAC/60 Hz/1 Ph	R600a (50g)	2	Same	Full 2 Year		

DOOR STYLE GUIDE:

¹⁾ Stainless Steel Solid Door 2) Fully Integrated Solid Door 3) Stainless Steel Glass Door 4) Fully Integrated Glass Door 5) Stainless Steel Drawers 6) Fully Integrated Drawers

						terior Dimension Dimensions - in									
	Model	Туре	Page	Description	Width	Depth	Height	Shelving (Door Models)	Capacity	Storage Capacity					
	CR24R-1-2*	24" Column Refrigerator	40	All Refrigerator, hinge reversible	23-3/4" (603)	24" (610)	83-5/8" (2125)	3 adjustable height spill-proof shelves Deli drawer Meat drawer	12.8 cu.ft.	N/A					
		Remgerator			24" (610)	25" (635)	84" (2134)	1 marinating pan Tip out produce bin 4 door bins							
	CR30R-1-2*	30" Column	40	All Refrigerator, hinge reversible	29-3/4" (756)	24" (610)	83-5/8" (2125)	3 adjustable height spill-proof shelves Deli drawer Meatdrawer	16.6 cu.ft.	N/A					
SN	CR30R-1-2* Refrigerator			g,g.	30" (762)	25" (635)	84" (2134)	2 marinating pans Tip out produce bin 4 door bins		.,,,					
COLUMNS	CR24F-1-2*	24" Column Freezer	40	All Freezer, hinge reversible	23-3/4" (603)	24" (610)	83-5/8" (2125)	3 adjustable height shelves 3 pull-out bins 4 door bins	12.6 cu.ft.	N/A					
ပ					24" (610)	25" (635)	84" (2134)	4 door bins							
		24" Wine Reserve	41	Single-zone wine reserve, hinge reversible	23-3/4" (603)	24" (610)	83-5/8" (2125)	12 full-extension wine shelves including one	12.6 cu.ft.	94 750 mL bottles (99 bottles if you double stack the					
		neserve		milige reversible	24" (610)	25" (635)	84" (2134)	convertible display shelf		display shelf)					
	CR24D-1-2*	24" Wine	41	Dual-zone wine reserve,	23-3/4" (603)	24" (610)	83-5/8" (2125)	10 full-extension wine shelves including one	12.2 cu.ft.	86 750 mL bottles (91 bottles if you					
		* 24"Wine Reserve						41	11 Dual-zone wine reserve, hinge reversible	24" (610)	25" (635)	84" (2134)	convertible display shelf		double stack the display shelf)



^{*} For all HP, HC, and HA models. To achieve 24" installation depth, install electrical connection in adjacent cabinetry. See spec sheets and installation instructions for install instructions.

^{*} HH24 models have a recessed plug for a true 18" depth

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Warranty	Industry Exclusive	Energy Star
Main Compartment - 34°(1.1°) - 42°(5.6°) Deli Drawer - 32°(0°) - 37°(2.8°) Meat/Fish Drawer - 32°(0°) - 37°(2.8°) Tip out Produce Bin - 32°(0°) - 37°(2.8°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White roll-on theater lighting	4000K	1,2	N/A	Full 6 Year		
Main Compartment - 34°(1.1°) - 42°(5.6°) Deli Drawer - 32°(0°) - 37°(2.8°) Meat/Fish Drawer - 32°(0°) - 37°(2.8°) Tip out Produce Bin - 32°(0°) - 37°(2.8°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White roll-on theater lighting	4000K	1,2	N/A	Full 6 Year		
-10°(-23.3°) - 10°(-12.2°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White roll-on theater lighting	4000K	1,2	N/A	Full 6 Year		
40°(4.4°) - 68°(20°)	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White and blue roll-on theater lighting including Sabbath Mode	4000K	1,2,3,4	N/A	Full 6 Year		
Upper Zone - 40°(4.4°) - 68°(20°) Lower Zone - 40°(4.4°) - 68°(20°)"	115 VAC/60 Hz/2.3 Amps	R600a (50g)	White and blue roll-on theater lighting including Sabbath Mode	4000K	1,2,3,4	N/A	Full 6 Year		

DOOR STYLE GUIDE:

¹⁾ Stainless Steel Solid Door 2) Fully Integrated Solid Door 3) Stainless Steel Glass Door 4) Fully Integrated Glass Door 5) Stainless Steel Drawers 6) Fully Integrated Drawers

					Overall	Dimensions - i	n. (mm)			
	Model	Туре	Page	Description	Length	Width	Height	Ice Chest	Insulated Bottle Well	Drainboard
	RMB-001	Mobile Bar	34	Tobin Ellis Signature Series Limited Edition Mobile Bar	70" (1778)	34-1/2" (877)	43-3/4" (1112)	TS30IC with sliding cover	TSC12IBW	TSCS12 (2 ea.)
E BARS	RMB-002	Mobile Bar	34	70" Tobin Ellis Signature Series Mobile Bar with drainboard and sink configuration	70-1/8" (1785)	35-9/16" (903)	46-5/16" (1176)	TS30IC with sliding cover	TSC12IBW	TSCS12 (1 ea.)
MOBILE	RMB-003	Mobile Bar	34	70" Tobin Ellis Signature Series Mobile Bar with 2 drainboards	70-1/8" (1785)	35-9/16" (903)	34-1/4" (870) 34-1/2" (876)	TS30IC with sliding cover	TSC12IBW	TSCS12 (2 ea.)
	RMB-004	Mobile Bar	34	46"Tobin Ellis Signature Series Mobile Bar	46-1/4" (1175)	35-9/16" (903)	46-5/16" (1176)	TS30IC with sliding cover	TSC12IBW	N/A

						Dimensions - in Dimensions - ir				
	Model	Туре	Page	Description	Length	Width	Height	Shelving (Door Models)	Capacity	Storage Capacity
	HP24TS-4-1L-	Mobile Tap	34	Mobile Tap Nitro and Coffee	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or
	2MNC		34	or Wine	24" (610)	24" (610)	34-1/2" (876)	No stierves	3.2 Cu.it.	standard barrel
TAP	HP24TS-4-1L-	Mobile Tap	34	Mobile Tap Wine	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or
	2MWW	мовне тар	обне тар 34	Wobile Tap Wille	24" (610)	24" (610)	34-1/2" (876)	NO SHEIVES	J.2 Cu.it.	standard barrel
MOBILE	HP24TS-4-1L-	Mohile Tan	3/1	Mohile Tan Reer	23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or
Σ	2MBW	Mobile Tap 34	Mobile Tap Beer	24" (610)	24" (610)	34-1/2" (876)	No sherves	J.2 Cu.it.	standard barrel	
	HP24TS-4-1L-	Mohile Tan	Nobile Tap 34 M		23-7/8" (606)	24" (610)	34-1/4" (870)	No shelves	5.2 cu.ft.	(2) 1/6 barrels or (1) 1/4 slim or
	2MBB	Mobile Tap			24" (610)	24" (610)	34-1/2" (876)	ivo sileives	J.2 CU.II.	standard barrel

Hand Sink	Speed Rail	Electrical	LED Bartender Task Lighting	Water Heater	Water Heater Tank Volume	Water Pump	Gray Water/ Ice Melt Tank (Pre-Plumbed) Capacity	Potable Water Tank (Pre-Plumbed) Capacity	Exterior Materials
N/A	SRC-CL left curved (1 ea.) SRC-CR right curved (1 ea.) SRC-S18 18" straight (1 ea.)	Voltage 120V AC/ Frequency 60 Hz	4000K/ 1200 LM	N/A	N/A	N/A	(2) 2.5gal	N/A	Toffee Crocodile exterior/Vanilla Sugar engineered solid surface top
TS12HSN with side splash	SRC-CL left curved (1 ea.) SRC-CR right curved (1 ea.) SRC-S18 18" straight (1 ea.)	Voltage 120V AC/ Frequency 60 Hz	4000K/ 1200 LM	50°F - 140°F (10°C - 60°C)	1.5 gal (5.7 L)	3 GPM (11.3 LPM)	(1) 2.5gal and (1) 6gal	5 gal (18.9 L)	Black laminate exterior/White Quartz engineered solid surface top
N/A	SRC-CL left curved (1 ea.) SRC-CR right curved (1 ea.) SRC-S18 18" straight (1 ea.)	Voltage 120V AC/ Frequency 60 Hz	4000K/ 1200 LM	N/A	N/A	N/A	(2) 2.5gal	N/A	Black laminate exterior/White Quartz engineered solid surface top
N/A	SRC-CL left curved (1 ea.) SRC-CR right curved (1 ea.) SRC-S18 18" straight (1 ea.)	Voltage 120V AC/ Frequency 60 Hz	4000K/ 800 LM	N/A	N/A	N/A	(1) 2.5gal	N/A	Black laminate exterior/White Quartz engineered solid surface top
					1				

Temp. Range °F(°C)	Power Requirements	Refrigerant	LED Lighting Options	K Level	Door Styles	Outdoor Model Number	Marine Model Number	Warranty	Industry Exclusive	Energy Star
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-1*	HP24TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-1*	HP24TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-1*	HP24TM-4-**-1*	Full 6 Year		
33°(.5°) - 48°(8.8°)	115 VAC/60 Hz/1 Ph	R600a (50g)	White LED task lighting	6000K	1,2	HP24TO-4-**-1*	HP24TM-4-**-1*	Full 6 Year		





quick reference / model info





8300 WEST GOOD HOPE ROAD | MILWAUKEE, WI 53223 800.558.5592 | **PERLICK.COM**



