Bridge tee towers



| JOB | |
|-----------|--|
| AREA | |
| ITEM NO. | |
| MODEL NO. | |

| | MODELS | | | |
|---------|---------|---------|--|--|
| BT8BSS | BT8BPC | BT8BTF | | |
| BT9BSS | BT9BPC | BT9BTF | | |
| BT10BSS | BT10BPC | BT10BTF | | |
| BT12BSS | BT12BPC | BT12BTF | | |
| BT16BSS | BT16BPC | BT16BTF | | |
| BT20BSS | BT20BPC | BT20BTF | | |
| BT24BSS | BT24BPC | BT24BTF | | |
| BT30BSS | BT30BPC | BT30BTF | | |
| | | | | |

Perlick's iconic *Tee Tower* design makes a statement in the bar. With a durable design and superior cooling technology, you can be sure every pour will be perfect.

The Bridge Tee Tower allows for serving a wide variety of draft beverages without having to install multiple towers.

KEY PRODUCT FEATURES AND BENEFITS

- Superior construction with stainless steel exterior ensures the tower is durable
- Pure copper coolant lines and cold block maintain chilled beverage temperature, minimizing foam and lost profits
- Insulated dispensing head and shank bushings minimize sweating to keep your bar clean, cool more efficiently for energy reduction, and reduce warm spots in the tower to give you the perfect pour.
- 304 Stainless steel shanks ensure purity of flavor from keg to tap

Quick Features:

- Bridge tee towers available with 8-10, 12, 16, 20, 24 or 30 faucets
- Choice of stainless steel, polished chrome, or tarnish-free brass finish
- Additional faucet configurations available with Standard and Bridge Tee Towers
- Extra tall models available
- · Faucets and tap handles sold separately

ACCESSORIES

| MODEL NOS. | DESCRIPTION |
|------------|--|
| 630SS | Stainless Steel Forward Sealing Faucet |
| 650SS | Stainless Steel Forward Sealing Faucet w/ Flow Control |
| 680SS | Stainless Steel Faucet with Push-back Creamer |
| 690SS | Stainless Steel Flow Control Faucet with Push-back Creamer |
| 63927 | Stout and Ale faucet - Stainless steel body and spout |
| 308-40C | Beer faucet lock for 630 Series Faucets |
| 67141 | Perlick Pub handle - 7-1/2" wooden handle |

* Faucets sold separately

Brlick

BRIDGE TEE TOWERS

| NUMBER OF | FAUCETS | 8 | 9 | 10 | 12 | 16 | 20 | 24 | 30 |
|--|--|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| MODEL NUMBERS | Stainless Steel | BT8BSS | BT9BSS | BT10BSS | BT12BSS | BT16BSS | BT20BSS | BT24BSS | BT30BSS |
| | Polished Chrome | BT8BPC | ВТ9ВРС | BT10BPC | BT12BPC | BT16BPC | BT20BPC | BT24BPC | BT30BPC |
| | Tarnish-Free Brass | BT8BTF | BT9BTF | BT10BTF | BT12BTF | BT16BTF | BT20BTF | BT24BTF | BT30BTF |
| NUMBER OF | BASES | 2 | 2 | 2 | 2 | 2 | 2 | 3 | 3 |
| "A" LENGTH | (MM) | 33-1/8" (841) | 33-1/8" (841) | 33-1/8" (841) | 33-1/8" (841) | 44-1/8" (1121) | 55-1/8" (1400) | 71-11/16"(1821) | 89-9/16" (2275) |
| FAUCET CENTERS (MM) | | 4-1/8" (105) | 3-1/2" (89) | 3″ (76) | 2-3/4" (70) | 2-3/4" (70) | 2-3/4" (70) | 3″ (76) | 3″ (76) |
| CENTER TO CENTER BASE DIMENSION | | | 16-1/2 | 16-1/2" (419) | | 22" (559) | 27-1/2" (699) | 23-7/8" (606) | 29-13/16" (758) |
| "B" STANDARD HEIGHT (MM) | | 12-15/16" (329) | 12-15/16" (329) | 12-15/16" (329) | 12-15/16" (329) | 12-15/16" (329) | 12-15/16" (329) | 12-15/16" (329) | 12-15/16" (329) |
| 2-5/8" to he | Extra high model: To add 15-9/16" (395) < | | 15-9/16" (395) | 15-9/16" (395) | 15-9/16" (395) | 15-9/16" (395) | 15-9/16" (395) | | |
| Extra high model: To add 3-3/4" to height, add a 4 suffix to model number. | | 16-11/16" (424) | 16-11/16" (424) | 16-11/16" (424) | 16-11/16" (424) | 16-11/16" (424) | 16-11/16" (424) | 16-11/16" (424) | 16-11/16" (424) |
| SHIPPING WEIGHT, LBS. (KG) | | 46 (20) | 48 (21) | 50 (22) | 54 (24) | 60 (27) | 66 (29) | 72 (32) | 78 (35) |
| OPTIONAL DRIP PAN | TOP MOUNT - 5020 SERIES | 5030* | 5030* | 5030* | 5030* | 5034* | 5036* | 5124* (2) | 5130* (2) |
| | TOP MOUNT - C18000 SERIES | C18655A* | C18655A* | C18655A* | C18655A* | C18660 | C18665 | n/a | n/a |
| | RECESSED | 58979* | 58979* | 58979* | 58979* | 69324 | 69327 | n/a | n/a |

* Add "TF" to Drip Pan model number for Tarnish-Free Brass finish.

Form No. Z2718 Rev. 02.13.23





