

JOB	
AREA	
ITEM NO.	
MODEL NO.	

Models					
"L" Brew Pipe Towers					
BPL-6L BPL-6R					
BPL-8L	BPL-8R				
BPL-10L	BPL-10R				
Pass-Thru Brew Pipe Towers					
BP-6L BP-6R					
BP-8L	BP-8R				
BP-10L	BP-10R				
	BP-12LR				
	BP-16LR				
	BP-20LR				
•					

The industrial aesthetic of the Brew Pipe Tower makes a statement in a variety of settings, including both modern and rustic venues. Solid metal construction ensures years of durability, while the superior insulation and cooling technology deliver the perfect pour.

KEY PRODUCT FEATURES AND BENEFITS

- Robust pipes and flanges are durable and offer an industrial feel that makes a statement in the space
- Pure copper coolant lines and cold block maintain chilled beverage temperature, minimizing foam and lost profits
- Insulated dispensing head and shank bushings minimize sweating to keep your bar clean, cool more efficiently for energy reduction, and reduce warm spots in the tower to give you the perfect pour
- 304 stainless steel shanks ensure purity of flavor from keg to tap

Quick Features:

- L-Shape available with 6, 8 or 10 faucets
- Pass-Thru available with 6, 8 or 10 faucets with lines leading left or right and 12,16, or 20 faucets with lines leading both ways
- L-shape available configured for either a left or right facing mount
- · Additional faucet configurations available with the T-Shape
- Installation bolt required; kits sold separately
- Faucets and tap handles sold separately

ACCESSORIES

MODEL NOS.	DESCRIPTION
630SS	Stainless Steel Forward Sealing Faucet
650SS	Stainless Steel Forward Sealing Faucet w/ Flow Control
680SS	Stainless Steel Faucet with Push-back Creamer
690SS	Stainless Steel Flow Control Faucet with Push-back Creamer
63927	Stout and Ale faucet - Stainless steel body and spout
308-40C	Beer faucet lock for 630 Series Faucets
67141	Perlick Pub handle - 7-1/2" wooden handle

^{*} Faucets sold separately

Form No. Z2720 Rev. 02.13.23




BREW PIPE TOWERS "L" And Pass-Thru

"L" BREW PIPE TOWER

NUMBER OF FAUCETS		6	8	10	
MODEL	Left Mount	BPL-6L	BPL-8L	BPL-10L	
NUMBERS	Right Mount	BPL-6R	BPL-8R	BPL-10R	
"A", LENGTH (17, LENGTH (MM) 28-3/4" (730) 34-11/16" (881) 40-5/8				
"B", HEIGHT (I	MM)	17-3/4" (451) 17-3/4" (451) 17-3/4" (451)			
FAUCET CENT	ERS (MM)	3"(76) 3"(76) 3"(76)			
MATERIAL AN	D FINISH	4" Schedule 5 Stainless Steel Pipe, Matte Finish			
SHIPPING WE	IGHT, LBS. (KG)	80 (36)	95.5 (43)	111.5 (50)	
OPTIONAL DE	RIP PAN	C18750-21	C18750-27	C18750-33	

PASS-THRU BREW PIPE TOWER

NUMBER OF	FAUCETS	6 8 10		10	12	16	20
	Beer Leads Left	BP-6L	BP-8L	BP-10L			
MODEL NUMBERS	Beer Leads Right	BP-6R	BP-8R	BP-10R			
	Beer Leads Left and Right				BP-12LR	BP-16LR	BP-20LR
"A", LENGTH	(MM)	37-9/16" (954) 43-5/8" (1108) 49-9/16" (1259) 55-1/2" (1410) 67-1/2" (1715) 79-3/8"				79-3/8" (2016)	
"B", STANDA	RD HEIGHT (MM)	12-15/16" (329) 12-15/16" (329) 12-15/16" (329) 12-15/16" (329) 12-15/16" (329) 12-15/16" (329)				12-15/16" (329)	
"C", CENTER	TO CENTER (MM)	33-1/8" (843)	33-1/8"(843) 39-1/8"(994) 45-1/8"(1		51-1/8" (1298)	63" (1600)	74-7/8" (1902)
FAUCET CEN	ITERS (MM)	3"(76) 3"(76) 3"(76) 3"(76) 3"(76) 3"(77)				3" (76)	
MATERIAL A	ND FINISH	4" Schedule 5 Stainless Steel Pipe, Matte Finish					
SHIPPING W	EIGHT, LBS. (KG)	101 (45)	107 (48)	133 (60)	149.5 (67)	183 (83)	216 (97)
OPTIONAL I	DRIP PAN	C18750-21	C18750-27	C18750-33	C18750-39	C18750-51	C18750-63



PASS THRU BREW PIPE TOWERS